



Quarterly Report on Wyoming Quit Tobacco Program Enrollees: January 2007–June 2007 Interviews

WYSAC Technical Report No. CHES-713

August 2007

Quarterly Report on Wyoming Quit Tobacco Program Enrollees: January 2007–June 2007 Interviews

By

Russ Miller, Assistant Research Scientist
Shweta Talwar, M.S., Assistant Research Scientist

With the assistance of
Laura L. Feldman, Ed.S., Senior Research Scientist
Brandi McCulloch, M.S., Graduate Research Assistant

Wyoming Survey & Analysis Center

University of Wyoming
406 S. 21st Street • 2nd Floor
Laramie, WY 82070
(307) 766-2189 • wysac@uwyo.edu
www.uwyo.edu/wysac

Under contract to
Wyoming Department of Health, Mental Health and Substance Abuse Services Division
6101 North Yellowstone, Room 220
Cheyenne, WY 82002
Telephone: (307) 777-6494
Fax: (307) 777-7006

Citation for this document: WYSAC. (2007). *Wyoming quit tobacco program enrollee survey: January 2007–June 2007 interviews*, by R. Miller. (WYSAC Technical Report No. CHES-713). Laramie: Wyoming Survey & Analysis Center, University of Wyoming.

Short reference: WYSAC (2007), *WQTP Survey January 2007–June 2007*.

© Wyoming Survey & Analysis Center, 2007.

Table of Contents

1. Introduction	4
1.1. Background	4
1.2. Organization of this Report	4
2. Methods	5
3. Key Variables	6
3.1. Quit Rates.....	6
3.3. Recommending WQTP	9
3.4. Use of NRT	9
3.5. Helpfulness of the WQTP Coordinator.....	11
3.6. WQTP and Income	12
4. Nicotine Replacement Therapy (NRT)	13
5. Quitline Telephone Counseling.....	14
6. References & Bibliography.....	15
7. Appendices	16
Appendix A. Survey Frequencies January 2007-June 2007	16
Appendix B. NRT Data Tables.....	58
Appendix C. Quitline Data Tables	61

List of Tables

Table 1. Telephone Survey Information, January 2007-June 2007	5
Table 2. Quit Rates for Three- and Six-Month Enrollees*	7
Table 3. Do You Currently Smoke or Use Any Spit Tobacco (Chew or Snuff) Products?	8
Table 4. Have You Smoked Any Cigarettes or Used Other Tobacco, Even a Puff or a Pinch, in the Last Seven Days?.....	8
Table 5. Have You Smoked Any Cigarettes or Used Other Tobacco, Even a Puff or a Pinch, in the Last 30 Days?*	8
Table 6. To Whom Have You Recommended WQTP?*	9
Table 7. Since You First Enrolled in WQTP, Have You Used Any of the Following Non-Prescription Medication to Help You Quit?*	10
Table 8. Would You Say the WQTP Program Coordinator Was...	11
Table 9. Which Category Best Describes Your Household's Total Income Before Taxes for Last Year?	12

List of Figures

Figure 1. Quit Rates for Three- and Six-Month Enrollees*	6
Figure 2. Quit Rates.....	7
Figure 3. Percentage of Enrollees Who Have Recommended WQTP*.....	9
Figure 4. Percentage of Respondents Who Used NRT*	10
Figure 5. Percentage of Respondents Who Found the WQTP Coordinator Helpful.....	11
Figure 6. Respondents' Income	12

Quarterly Report on Wyoming Quit Tobacco Program Enrollees: January 2007–June 2007 Interviews

1. Introduction

1.1. Background

The Wyoming Survey & Analysis Center (WYSAC) conducts monthly surveys of three- and six-month enrollees in the Wyoming Quit Tobacco Program (WQTP) for the Mental Health and Substance Abuse Services Division (MHSASD) of the Wyoming Department of Health. WYSAC has administered the survey on a monthly basis since June 2005. The surveys monitor WQTP outcomes and client satisfaction. This report presents previously unreported data from April through June 2007 and incorporates it with the data from the prior quarter (January through March 2007). The findings in this report are applicable only to WQTP enrollees. This report does not attempt to comment on all Wyoming adults who are attempting to or have quit using tobacco products.

1.2. Organization of this Report

This document contains four additional sections. Section 2 of this report discusses the WQTP survey methodology. Section 3 includes survey results from January 2007 through June 2007 and focuses on the following key variables:

- 1) Overall quit rates for enrollees who participated in the program for three and six months
- 2) Specific quit rates (e.g., percentage of respondents not currently using tobacco, percentage of respondents who have been quit for at least seven days, and percentage of respondents who have been quit for at least 30 days)
- 3) Percentage of respondents who have recommended the program to others
- 4) Percentage of respondents who used nicotine replacement therapy (e.g., nicotine patch, lozenges, gum, and nasal spray)
- 5) Helpfulness of the WQTP coordinator
- 6) WQTP and income

Section 4 discusses statistically significant associations between the use of nicotine replacement therapy (NRT) and the key variables, and section 5 discusses the correlations between participation in Quitline (i.e., telephone counseling) and the key variables. Appendix A provides frequency counts and percentage distributions, by month, for all items asked between January 2007 and June 2007. Appendix B provides cross-tabulations between respondents' use of nicotine replacement therapy (NRT) and each of the key variables. Appendix C presents cross-tabulations between a respondent's participation in Quitline and each of the key variables. Both Appendix B and Appendix C report aggregate data from January 2007–June 2007 and exclude three-month duplicate respondents (with the exception of the three- and six-month quit rate analyses).

2. Methods

This report presents data from two versions of the WQTP survey: the version that had been in use from October 2006 to January 2007 and the version of the survey that WYSAC updated in February 2007 and administered between February 2007 and June 2007. In February 2007, WYSAC researchers added question 9 (Did you enroll to get help with quitting smoking, with quitting spit tobacco, or both?) and removed question 82 (Did seeing the local program coordinator for the Wyoming Quit Tobacco Program help or hinder your effort to quit using tobacco?). Interviewers also asked respondents for their age and race beginning in February 2007 (prior to this, ACS provided this information). Additional changes included adding skip patterns, indicated in Appendix A, and rewording question 78 (What other things have you used during your attempt to quit?). In October 2006 WYSAC, in consultation with MHSASD and the WQTP provider¹, redesigned the original survey that had been in use since June 2005. The changes allowed for the retention of Wyoming-specific questions while also incorporating the Minimal Data Set (MDS) created by the North American Quitline Consortium (NAQC). The MDS offers standard questions for evaluating Quitlines and allows analysts to compare Wyoming's Quitline with those in other states (NAQC, n.d.). By asking Wyoming-specific questions, WYSAC can evaluate statewide trends and compare the two program providers.

Each month, the WQTP provider gave the Survey Research Center (SRC), a division of WYSAC, a list of clients who had been enrolled in the program for three or six months. Between January and June 2007, experienced SRC interviewers surveyed a random sample of enrollees.

Between January 2007 and June 2007, 3,487 people enrolled in WQTP. Of these, the SRC conducted surveys with 1,038 enrollees for an overall response rate of 30%. See Table 1 for information on the number of monthly enrollees, number of survey respondents, dates of survey administration, and monthly response rates.

Table 1. Telephone Survey Information, January 2007–June 2007

Month of Survey	Number Of Enrollees	Number of Respondents	Response Rate	Survey Dates
January 2007	598	156	26%	January 16-25, 2007
February 2007	578	194	34%	February 18-27, 2007
March 2007	674	190	28%	March 4-14, 2007
April 2007	584	163	28%	April 17-30, 2007
May 2007	589	171	29%	May 7-15, 2007
June 2007	464	164	35%	June 18-July 1, 2007
Totals	3,487	1,038	30%	

WYSAC analyzed the WQTP survey data using Statistical Package for the Social Sciences (SPSS), version 14.0. Data analysts ran frequencies on all variables (see Appendix A) and used both three- and six-month enrollee data to calculate the monthly frequencies. We also applied Pearson's Chi-square test to examine significant relationships between the use of NRT and Quitline and the key

¹ The Wyoming Health Resources Network (WHRN) was the WQTP provider from January 2004 to June 2006. The American Cancer Society (ACS) became the WQTP provider in July 2006.


variables. Some individuals responded to the survey at two times: after three months in the program *and* after six months in the program. For these individuals, we included only their six-month responses to avoid over-representation. When tracking significant relationships between the use of NRT and Quitline and the three- and six- month quit rates, data analysts included all responses because the data were independent. Researchers set statistical significance at less than 0.05, which means that there is a 95% likelihood that our results are not random. We excluded missing values such as “System missing,” “Don’t know,” and “No response” from the percentage calculations. On “check all that apply” and constructed items (i.e., recoded, combined, or manually recalculated items), we do not provide total sample sizes because enrollees can choose more than one option and percentages may exceed 100%.

3. Key Variables

3.1. Quit Rates

The quit rates for enrollees who have been enrolled for three months or six months refer to the percentage of individuals who answered “no” to the question, “Do you currently smoke or use any spit tobacco (chew or snuff) products?” Both the three-month and the six-month quit rates were highest in March (see Figure 1 and Table 2).

Figure 1. Quit Rates for Three- and Six-Month Enrollees*



*Constructed variable


Table 2. Quit Rates for Three- and Six-Month Enrollees*

		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07
Three-month Quit Rate	Frequency	39	57	68	61	52	49
	Percentage	43.8%	47.1%	64.8%	63.5%	57.8%	47.6%
Six-month Quit Rate	Frequency	21	23	37	27	31	26
	Percentage	41.2%	47.9%	60.7%	56.3%	43.7%	59.1%

*Constructed variable

The “current” quit rate refers to the percentage of individuals who answered “no” to the question, “Do you currently smoke or use any spit tobacco (chew or snuff) products?”² Two-thirds of the respondents who reported that they are currently quit also reported they have successfully stayed quit for the past 30 days (see Figure 2 and Tables 3–5).

Figure 2. Length of Quit Rates for WQTP Respondents



² Interviewers did not define current use unless the respondent asked for clarification; in which case, interviewers clarified by asking, “Have you smoked or used spit tobacco *in the past seven days?*”

Table 3. Do You Currently Smoke or Use Any Spit Tobacco (Chew or Snuff) Products? (Current quit rate)

		Month of survey						Total
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Yes	Frequency	80	89	61	55	78	71	434
	Percentage	57.1%	52.7%	36.7%	38.5%	48.4%	48.6%	46.9%
No	Frequency	60	80	105	88	83	75	491
	Percentage	42.9%	47.3%	63.3%	61.5%	51.6%	51.4%	53.1%
Total	Frequency	140	169	166	143	161	146	925
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 4. Have You Smoked Any Cigarettes or Used Other Tobacco, Even a Puff or a Pinch, in the Last Seven Days?

		Month of survey						Total
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Yes	Frequency	84	99	72	64	83	83	485
	Percentage	60.0%	58.6%	43.4%	44.4%	51.6%	56.5%	52.3%
No	Frequency	56	70	94	80	78	64	442
	Percentage	40.0%	41.4%	56.6%	55.9%	48.4%	43.8%	47.7%
Total	Frequency	140	169	166	144	161	147	927
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 5. Have You Smoked Any Cigarettes or Used Other Tobacco, Even a Puff or a Pinch, in the Last 30 Days?*


		Month of survey						Total
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Yes	Frequency	98	119	91	74	98	94	574
	Percentage	70.0%	70.4%	54.8%	51.4%	60.9%	63.9%	61.9%
No	Frequency	42	50	75	70	63	53	353
	Percentage	30.0%	29.6%	45.2%	48.6%	39.1%	36.1%	38.1%
Total	Frequency	140	169	166	144	161	147	927
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

*Constructed variable

3.3. Recommending WQTP

Figure 3 and Table 6 show that respondents most often recommended the program to their friends or coworkers.

Figure 3. Percentage of Enrollees Who Have Recommended WQTP to...*



*Constructed variable

Table 6. To Whom Have You Recommended WQTP?*

		Month of survey						Total
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Members of family who use tobacco	Frequency	87	91	102	78	76	76	510
	Percentage	61.7%	53.8%	60.7%	53.8%	50.7%	50.7%	54.2%
Friends or co-workers who use tobacco	Frequency	100	119	122	108	99	99	647
	Percentage	70.9%	70.4%	72.6%	74.5%	66.0%	66.0%	68.8%
Other tobacco users	Frequency	67	63	77	59	54	54	374
	Percentage	47.5%	37.3%	45.8%	40.7%	36.0%	36.0%	39.7%


*Constructed variable

3.4. Use of NRT

The cumulative data for January 2007 through June 2007 show that more than two-thirds of respondents (69%) used some form of NRT. Survey respondents preferred the nicotine patch over the other cessation medications, while less than 1% used the nicotine spray (see Figure 4 and Table 7). Overall, the use of non-prescription cessation medication decreased from January 2007 to June 2007. Most noticeably, reported use of the nicotine patch declined by more than half, from 42% of respondents in January to only 17% of respondents in June (see Figure 4 and Table 7). Marcie Kirtz, the Quitline Account Manager for the American Cancer Society, suggested that possible reasons for the decline include a recently introduced NRT medication, Chantix, not currently listed by name on the WQTP questionnaire (interview, August 7, 2007). Sales of Chantix and other prescription medications may have increased as a result of a newly available (starting January 2, 2007)

reimbursement through Wyoming’s Equality Care Medicaid program for purchases of prescription medication like Chantix, Zyban, nicotine gum, lozenges, and patches. Chantix will be offered as a response choice in future iterations of the WQTP survey starting in July 2007.

Figure 4. Percentage of Respondents Who Used NRT*



*Constructed variable

Table 7. Since You First Enrolled in WQTP, Have You Used Any of the Following Non-Prescription Medication to Help You Quit?*

		Month of survey						Total
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Nicotine patch	Frequency	59	60	46	33	51	25	274
	Percentage	42.1%	35.5%	27.7%	22.9%	31.7%	17.0%	29.6%
Nicotine gum (Nicorette)	Frequency	34	26	30	25	31	16	162
	Percentage	24.3%	15.4%	18.1%	17.4%	19.3%	10.9%	17.5%
Nicotine lozenge (Commit)	Frequency	25	19	18	12	21	12	107
	Percentage	17.9%	11.2%	10.8%	8.3%	13.0%	8.2%	11.5%
Nasal Spray	Frequency	2	0	1	1	1	0	5
	Percentage	1.4%	0.0%	0.6%	0.7%	0.6%	0.0%	0.5%
Other (please specify)	Frequency	0	1	1	0	3	1	6
	Percentage	0.0%	0.6%	0.6%	0.0%	1.9%	0.7%	0.6%
None of the above	Frequency	63	89	104	89	90	106	541
	Percentage	45.0%	52.7%	62.7%	61.8%	55.9%	72.1%	58.4%

*Constructed variable

3.5. Helpfulness of the WQTP Coordinator

As shown in Figure 5 and Table 8, respondents found the WQTP coordinator very helpful in their attempt to quit: cumulative data for all six months show that 75% of the respondents found the WQTP coordinator *very* helpful.³

Figure 5. Percentage of Respondents Who Found the WQTP Coordinator Helpful




Table 8. Would You Say the WQTP Program Coordinator Was...?

		Month of survey						Total
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Not helpful at all	Frequency	1	3	2	2	0	3	11
	Percentage	1.6%	3.2%	2.5%	2.7%	0.0%	3.8%	2.4%
Not too helpful	Frequency	4	2	1	3	0	1	11
	Percentage	6.3%	2.1%	1.3%	4.0%	0.0%	1.3%	2.4%
Somewhat helpful	Frequency	16	21	21	8	12	13	91
	Percentage	25.4%	22.1%	26.3%	10.7%	17.6%	16.7%	19.8%
Very helpful	Frequency	42	69	56	62	56	61	346
	Percentage	66.7%	72.6%	70.0%	82.7%	82.4%	78.2%	75.4%
Total	Frequency	63	95	80	75	68	78	459
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

³ This question was asked only of those who answered “free or reduced-price nicotine replacement therapy (or NRT) products” to the question [Which of these components of the Wyoming Quit Tobacco Program have you participated in?] AND answered “Albany,” “Big Horn,” “Laramie,” “Natrona,” “Park,” “Sheridan,” or “Sweetwater” to the question [In which county in Wyoming do you live?].

4. Nicotine Replacement Therapy (NRT)

This section summarizes the associations between a respondent's use of NRT and each of the key variables.⁴ Researchers based results on the aggregate data from January 2007 through June 2007 and removed all three-month duplicate respondents, except when analyzing the three- and six-month quit rates. For the NRT data tables, see Appendix B.

WYSAC's analyses on the use of NRT yielded the following significant results ($p < 0.05$):

- NRT users were more likely to be quit: 57% of those who used NRT were quit at the time of the survey, compared to 39% of those who did not use NRT ($p = 0.00$).
 - NRT users were more likely to be quit at three months: 58% of those who used NRT were quit after three months in the program, compared to 38% of those who did not use NRT ($p = 0.00$).
 - NRT users were also more likely to be quit at six months: 55% of those who used NRT were quit after six months in the program, compared to 40% of those who did not use NRT ($p = 0.02$).
 - NRT users were more likely to be quit for at least seven days: 51% of those who used NRT had been quit for at least seven days, compared to 37% of those who did not use NRT ($p = 0.00$).
 - NRT users were more likely to be quit for at least 30 days: 41% of those who used NRT had been quit for at least 30 days, compared to 29% of those who did not use NRT ($p = 0.00$).
- NRT users were more likely to recommend the program to...
 - Family members: 59% of those who used NRT recommended the program to family members, compared to 47% who did not use NRT ($p = 0.00$).
 - Friends or coworkers: 76% of those who used NRT recommended the program to friends or coworkers, compared to 51% who did not use NRT ($p = 0.00$).
 - Other tobacco users: 47% of those who used NRT recommended the program to other tobacco users, compared to 29% who did not use NRT ($p = 0.00$).
- Use of NRT was higher among those reporting income of \$75,000 or less: 79% of those who earned less than \$75,000 annually used NRT ($n = 708$), compared to 63% of those who earned more than \$75,000 annually ($n = 95$), ($p = 0.001$).

⁴ We report all key variables except helpfulness of the program coordinator because this question was *only* asked of those who used NRT (program participants only saw a coordinator to get a voucher for free or reduced-price NRT products).

5. Quitline Telephone Counseling

This section summarizes the associations between participation in Quitline telephone counseling and each of the key variables. Researchers based results on the aggregate data from January 2007 through June 2007 and removed all three-month duplicate respondents, except when analyzing the three- and six-month quit rates. For the Quitline data tables, see Appendix C.

WYSAC's analyses of Quitline telephone counseling yielded one significant result ($p < 0.05$). Respondents who reported using Quitline telephone counseling were more likely to report using nicotine patches ($p = 0.04$).

There were no statistically significant correlations between using Quitline telephone counseling and...

- Being quit ($p = 0.49$).
 - Being quit at 3 months ($p = 0.37$).
 - Being quit at 6 months ($p = 0.63$).
- Having used any tobacco in the last 7 days ($p = 0.57$).
- Having used any tobacco in the last 30 days ($p = 0.44$).
- Having recommended WQTP to...
 - Family members who use tobacco ($p = 0.91$).
 - Friends or coworkers who use tobacco ($p = 0.21$).
 - Other tobacco users ($p = 0.72$).
- Having used any of the other nicotine replacement therapies besides the nicotine patch:
 - Nicotine gum ($p = 0.94$).
 - Nicotine lozenges ($p = 0.14$).
 - Nicotine nasal spray ($p = 0.87$).
 - Other nicotine replacement therapies not listed ($p = 0.49$).

6. References & Bibliography

- Kirtz, M. (2007, August 7). Quitline Account Manager, American Cancer Society. Interview.
- North American Quitline Consortium. (n.d.). *Minimal data set*. Retrieved January 5, 2006, from <http://www.naQuitline.org/index.asp?dbid=2&dbsection=research>
- WYSAC. (2007). *Wyoming quit tobacco program cumulative report: January 2004–December 2006*, by T. C. Cook & L. L. Feldman. (WYSAC Technical Report No. CHES-703). Laramie: Wyoming Survey & Analysis Center, University of Wyoming.

7. Appendices

Appendix A. Survey Frequencies January 2007–June 2007

This appendix provides frequency counts and percentage distributions, by month, for all questions asked of WQTP enrollees between January 2007 and June 2007. The wording, sequence of questions, and skip patterns are from the February 2007 through June 2007 questionnaire. This questionnaire is almost identical to the questionnaire used between October 2006 and January 2007 except that questions asking about age and race were added. Question 82, concerning whether the local program manager helped or hindered the respondent's efforts to quit, was removed because it was worded very similarly to another question and thus yielded redundant results. Question numbers do not run sequentially, but follow the numbering used in programming. We have excluded missing values such as "System missing," "Don't know," and "No response" from the valid percentage calculations. Parenthesized dates preceding a question (e.g., February 2007–June 2007) signify that the question was only asked in those months. Multiple questions preceding a data table signify that we combined the data for those questions and reported the cumulative data in the table. For example, the data table for Q4 uses multiple versions of the question to report data from January 2006 to June 2007.

Hello, may I please speak with _____?

I'm calling from the University of Wyoming, and I'm not selling anything. My name is [first name]. We're doing a survey of Wyoming Quit Tobacco Program enrollees. The questions will take less than 10 minutes. Would you be able to help me out with this?

[If yes] **Thanks! First, I need to ask if you are 18 years of age or older.**

Q1.

The Wyoming Quit Tobacco Program is a comprehensive Tobacco Cessation program that includes several components such as telephone counseling, Quitnet, and free or reduced price cessation medication. According to our records, you have been enrolled in the Wyoming Quit Tobacco Program. Is that correct?

If answered “No, never enrolled,” then skip to end of survey.

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Yes	Frequency	141	169	168	145	168	150	941
		Percentage	90.4%	87.1%	88.4%	89.0%	98.8%	91.5%	90.7%
	No, never enrolled	Frequency	15	25	22	18	2	14	96
		Percentage	9.6%	12.9%	11.6%	11.0%	1.2%	8.5%	9.3%
Valid total		Frequency	156	194	190	163	170	164	1037
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Don't know/Not sure	Frequency	0	0	0	0	1	0	1
	Missing total	Frequency	0	0	0	0	1	0	1
Total		Frequency	156	194	190	163	171	164	1038

Q2.

Did you enroll in the Wyoming Quit Tobacco Program to quit tobacco yourself or on behalf of or to help someone else?

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Self	Frequency	140	169	166	142	161	146	924
		Percentage	89.7%	87.1%	87.4%	87.1%	94.2%	89.0%	89.0%
	Someone else	Frequency	1	0	2	1	7	3	14
		Percentage	0.6%	0.0%	1.1%	0.6%	4.1%	1.8%	1.3%
Valid Total		Frequency	141	169	168	143	168	149	938
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Don't know/Not sure	Frequency	0	0	0	2	0	1	3
	System missing	Frequency	15	25	22	18	3	14	97
	Missing total	Frequency	15	25	22	20	3	15	100
Total		Frequency	156	194	190	163	171	164	1038

Q3.

In which county in Wyoming do you live?

		Month of survey						Total	
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07		
Valid	Albany	Frequency	1	12	4	4	10	4	35
		Percentage	0.7%	7.1%	2.4%	2.8%	6.0%	2.7%	3.7%
	Big Horn	Frequency	8	2	6	2	2	0	20
		Percentage	5.7%	1.2%	3.6%	1.4%	1.2%	0.0%	2.1%
	Campbell	Frequency	13	4	14	9	13	12	65
		Percentage	9.2%	2.4%	8.3%	6.2%	7.7%	8.0%	6.9%
	Carbon	Frequency	4	2	3	4	3	3	19
		Percentage	2.8%	1.2%	1.8%	2.8%	1.8%	2.0%	2.0%
	Converse	Frequency	3	5	18	8	5	5	44
		Percentage	2.1%	3.0%	10.7%	5.5%	3.0%	3.3%	4.7%
	Crook	Frequency	1	2	1	2	0	4	10
		Percentage	0.7%	1.2%	0.6%	1.4%	0.0%	2.7%	1.1%
	Fremont	Frequency	3	8	6	5	6	7	35
		Percentage	2.1%	4.7%	3.6%	3.4%	3.6%	4.7%	3.7%
	Goshen	Frequency	3	3	1	2	3	0	12
		Percentage	2.1%	1.8%	0.6%	1.4%	1.8%	0.0%	1.3%
	Hot Springs	Frequency	2	3	2	1	3	4	15
		Percentage	1.4%	1.8%	1.2%	0.7%	1.8%	2.7%	1.6%
	Johnson	Frequency	1	3	2	1	3	3	13
		Percentage	0.7%	1.8%	1.2%	0.7%	1.8%	2.0%	1.4%
	Laramie	Frequency	30	43	37	32	49	26	217
		Percentage	21.3%	25.4%	22.0%	22.1%	29.2%	17.3%	23.1%
	Lincoln	Frequency	0	1	1	3	2	0	7
		Percentage	0.0%	0.6%	0.6%	2.1%	1.2%	0.0%	0.7%
	Natrona	Frequency	12	28	15	20	22	25	122
		Percentage	8.5%	16.6%	8.9%	13.8%	13.1%	16.7%	13.0%
	Niobrara	Frequency	1	0	0	0	0	1	2
		Percentage	0.7%	0.0%	0.0%	0.0%	0.0%	0.7%	0.2%
	Park	Frequency	5	5	6	5	4	9	34
		Percentage	3.5%	3.0%	3.6%	3.4%	2.4%	6.0%	3.6%
Platte	Frequency	2	4	5	5	3	5	24	
	Percentage	1.4%	2.4%	3.0%	3.4%	1.8%	3.3%	2.6%	
Sheridan	Frequency	9	10	3	12	11	6	51	
	Percentage	6.4%	5.9%	1.8%	8.3%	6.5%	4.0%	5.4%	
Sublette	Frequency	1	2	0	0	4	0	7	
	Percentage	0.7%	1.2%	0.0%	0.0%	2.4%	0.0%	0.7%	
Sweetwater	Frequency	23	17	33	20	11	26	130	
	Percentage	16.3%	10.1%	19.6%	13.8%	6.5%	17.3%	13.8%	
Teton	Frequency	0	0	0	0	1	1	2	
	Percentage	0.0%	0.0%	0.0%	0.0%	0.6%	0.7%	0.2%	
Uinta	Frequency	9	9	3	5	8	3	37	
	Percentage	6.4%	5.3%	1.8%	3.4%	4.8%	2.0%	3.9%	
Washakie	Frequency	4	4	5	3	3	2	21	
	Percentage	2.8%	2.4%	3.0%	2.1%	1.8%	1.3%	2.2%	
Weston	Frequency	4	2	2	2	2	2	14	
	Percentage	2.8%	1.2%	1.2%	1.4%	1.2%	1.3%	1.5%	
Valid Total	Frequency	135	165	162	142	165	146	915	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Does not live in Wyoming	Frequency	2	0	1	0	0	2	5
	Don't know/Not sure	Frequency	0	0	0	0	0	0	0
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing Total	Frequency	2	0	1	0	0	2	5
Total	Frequency	141	169	168	145	168	150	941	

Q4.

Which of these components of the Wyoming Quit Tobacco Program have you participated in?

Read choices ONE AT A TIME; check all that apply.

If answered “Did not use Quitline telephone counseling,” skip to Q10.

		Month of survey						Total
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Quitline telephone counseling (Jun 2005 - Mar 2007)	Frequency	94	107	105	96	99	95	596
	Percentage	66.7%	63.3%	62.5%	66.2%	58.9%	63.3%	63.3%
Quitnet internet based cessation support (Jun 2005 - Mar 2007)	Frequency	39	53	51	47	48	47	285
	Percentage	27.7%	31.4%	30.4%	32.4%	28.6%	31.3%	30.3%
Self help materials (Oct 2006 - Mar 2007)	Frequency	86	111	115	91	122	108	633
	Percentage	61.0%	65.7%	68.5%	62.8%	72.6%	72.0%	67.3%
Community referrals (Oct 2006 - Dec 2006)	Frequency	20	31	29	21	40	29	170
	Percentage	14.2%	18.3%	17.3%	14.5%	23.8%	19.3%	18.1%
Free or reduced-price nicotine replacement therapy (NRT) products (Oct 2006 - Mar 2007)	Frequency	102	137	138	111	115	121	724
	Percentage	72.3%	81.1%	82.1%	76.6%	68.5%	80.7%	76.9%
Other (please specify) (Oct 2006- Mar 2007)	Frequency	3	0	0	0	2	1	6
	Percentage	2.1%	0.0%	0.0%	0.0%	1.2%	0.7%	0.6%
None of the above (Jun 2005- Mar 2007)	Frequency	9	5	7	6	11	7	45
	Percentage	6.4%	3.0%	4.2%	4.1%	6.5%	4.7%	4.8%

Q4a

Overall, how satisfied were you with the service you received from the Quitline?

(Asked only of those who have used “Quitline telephone counseling” from Q4.)

		Month of survey						Total	
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07		
Valid	Very satisfied	Frequency	63	86	83	69	73	64	438
		Percentage	68.5%	82.7%	79.0%	72.6%	73.7%	69.6%	74.6%
	Mostly satisfied	Frequency	17	7	11	15	15	18	83
		Percentage	18.5%	6.7%	10.5%	15.8%	15.2%	19.6%	14.1%
	Somewhat satisfied	Frequency	7	6	5	5	5	4	32
		Percentage	7.6%	5.8%	4.8%	5.3%	5.1%	4.3%	5.5%
Not at all satisfied	Frequency	5	5	6	6	6	6	34	
	Percentage	5.4%	4.8%	5.7%	6.3%	6.1%	6.5%	5.8%	
Valid total	Frequency	92	104	105	95	99	92	587	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	2	3	0	1	0	3	9
	Missing system	Frequency	62	87	85	67	72	69	442
	Missing total	Frequency	64	90	85	68	72	72	451
Total	Frequency	156	194	190	163	171	164	1038	

If answered “someone else” to Q2 (Did you enroll in the Wyoming Quit Tobacco Program to quit tobacco yourself or on behalf of or to help someone else?) skip to Q60intro, then to Q83.

Q9.

(February 2007–June 2007) Did you enroll to get help with quitting smoking, with quitting spit (chew or snuff) tobacco, or both?

		Month of survey						Total	
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07		
Valid	Smoking only	Frequency	0	156	156	125	143	132	712
		Percentage	0.0%	80.4%	82.1%	76.7%	83.6%	80.5%	68.6%
	Spit only	Frequency	0	6	8	14	12	7	47
		Percentage	0.0%	3.1%	4.2%	8.6%	7.0%	4.3%	4.5%
	Both	Frequency	0	6	1	4	6	8	25
		Percentage	0.0%	3.1%	0.5%	2.5%	3.5%	4.9%	2.4%
	Neither	Frequency	0	0	0	1	0	0	1
		Percentage	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%	0.1%
	Valid total	Frequency	0	168	165	144	161	147	785
		Percentage	#DIV/0!	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Don't know/Not sure	Frequency	0	1	1	0	0	0	2
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	156	25	24	19	10	17	251
	Missing total	Frequency	156	26	25	19	10	17	253
Total		Frequency	156	194	190	163	171	164	1038

Q10.

Do you currently smoke or use any spit tobacco (chew or snuff) products?

(If needed: Have you smoked or used spit tobacco in the past seven days?)

If answered “No, never used either,” skip to end of survey.

		Month of survey						Total	
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07		
Valid	Yes, smoke only	Frequency	76	85	56	50	70	65	402
		Percentage	54.3%	50.3%	33.7%	35.0%	43.5%	44.5%	43.5%
	Yes, spit only	Frequency	1	4	4	4	7	4	24
		Percentage	0.7%	2.4%	2.4%	2.8%	4.3%	2.7%	2.6%
	Yes, both	Frequency	3	0	1	1	1	2	8
		Percentage	2.1%	0.0%	0.6%	0.7%	0.6%	1.4%	0.9%
No, neither currently	Frequency	60	80	105	88	83	75	491	
	Percentage	42.9%	47.3%	63.3%	61.5%	51.6%	51.4%	53.1%	
Valid total	Frequency	140	169	166	143	161	146	925	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	No, never used either	Frequency	0	0	0	0	0	0	0
	Don't know/Not sure	Frequency	0	0	0	1	0	1	2
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	25	24	19	10	17	111
	Missing total	Frequency	16	25	24	20	10	18	113
Total	Frequency	156	194	190	163	171	164	1038	

Q11.

Have you smoked any cigarettes or used other tobacco, even a puff or a pinch, in the last 7 days?

		Month of survey						Total	
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07		
Valid	Yes	Frequency	84	99	72	64	83	83	485
		Percentage	60.0%	58.6%	43.4%	44.4%	51.6%	56.5%	52.3%
	No	Frequency	56	70	94	80	78	64	442
		Percentage	40.0%	41.4%	56.6%	55.9%	48.4%	43.8%	47.7%
Valid Total	Frequency	140	169	166	144	161	147	927	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	0	0	0	0	0	0	0
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	25	24	19	10	17	111
	Missing total	Frequency	16	25	24	19	10	17	111
Total	Frequency	156	194	190	163	171	164	1038	

If answered “Yes,” skip to Q14.

Q12.

Have you smoked ANY cigarettes or used other tobacco, even a puff or a pinch, in the last 30 days?
(Asked only of those who answered “no,” “don’t know,” or “no answer” to Q11 [Have you smoked any cigarettes or used other tobacco, even a puff or a pinch, in the last 7 days?].)

(Those who answered “yes” to question 11, “Have you smoked any cigarettes or used other tobacco, even a puff or a pinch, in the last 7 days,” are included in the analyses.)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Yes	Frequency	98	119	91	74	98	94	574
		Percentage	70.0%	70.4%	54.8%	51.4%	60.9%	63.9%	61.9%
	No	Frequency	42	50	75	70	63	53	353
		Percentage	30.0%	29.6%	45.2%	48.6%	39.1%	36.1%	38.1%
	Valid total	Frequency	140	169	166	144	161	147	927
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Don't know/Not sure	Frequency	0	0	0	0	0	0	0
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	25	24	19	10	17	111
	Missing total	Frequency	16	25	24	19	10	17	111
	Total	Frequency	156	194	190	163	171	164	1038

If answered “yes” skip to Q14

Q13.

And approximately how long has it been since you last used ANY tobacco product?

(Asked only of those who answered “no,” “don’t know,” or “no answer” to Q11 [Have you smoked any cigarettes or used other tobacco, even a puff or a pinch, in the last 7 days?] AND answered “no” to Q12 [Have you smoked ANY cigarettes or used other tobacco, even a puff or a pinch, in the last 30 days?].)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	One to less than three months	Frequency	10	21	41	40	32	24	168
		Percentage	24.4%	42.0%	55.4%	57.1%	50.8%	45.3%	47.9%
	Three to six months	Frequency	23	24	29	28	25	22	151
		Percentage	56.1%	48.0%	39.2%	40.0%	39.7%	41.5%	43.0%
	More than 6 months	Frequency	8	5	4	2	6	7	32
		Percentage	19.5%	10.0%	5.4%	2.9%	9.5%	13.2%	9.1%
Valid total	Frequency	41	50	74	70	63	53	351	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	1	0	1	0	0	0	2
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	114	144	115	93	108	111	685
	Missing total	Frequency	115	144	116	93	108	111	687
Total	Frequency	156	194	190	163	171	164	1038	

If answered Q13 [And approximately how long has it been since you last used ANY tobacco product?] skip to Q19.

Q14.

Compared to 3 months ago, would you say you are using tobacco products...?

(Asked only of those who answered “yes” to Q11 [Have you smoked any cigarettes or used other tobacco, even a puff or a pinch, in the last 7 days?] OR answered “yes” to Q12 [Have you smoked ANY cigarettes or used other tobacco, even a puff or a pinch, in the last 30 days?])

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	More now than you were then	Frequency	7	9	3	7	15	6	47
		Percentage	7.2%	7.8%	3.3%	9.6%	15.3%	6.5%	8.3%
	About the same	Frequency	34	32	19	11	27	22	145
		Percentage	35.1%	27.6%	20.9%	15.1%	27.6%	23.7%	25.5%
	Less now than you were then	Frequency	56	75	69	55	56	65	376
		Percentage	57.7%	64.7%	75.8%	75.3%	57.1%	69.9%	66.2%
Valid total	Frequency	97	116	91	73	98	93	568	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	1	3	0	1	0	1	6
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	58	75	99	89	73	70	464
	Missing total	Frequency	59	78	99	90	73	71	470
Total		Frequency	156	194	190	163	171	164	1038

Q15.

Do you currently smoke cigarettes every day, some days, or not at all?

(Asked only of those who answered “yes” to Q11 [Have you smoked any cigarettes or used other tobacco, even a puff or a pinch, in the last 7 days?] OR answered “yes” to Q12 [Have you smoked ANY cigarettes or used other tobacco, even a puff or a pinch, in the last 30 days?])

If answered “everyday” skip to Q17

If answered “not at all” skip to Q19

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Every day	Frequency	65	72	47	41	55	54	334
		Percentage	66.3%	60.5%	51.6%	55.4%	56.1%	57.4%	58.2%
	Some days	Frequency	19	24	20	15	23	24	125
		Percentage	19.4%	20.2%	22.0%	20.3%	23.5%	25.5%	21.8%
	Not at all	Frequency	14	23	24	18	20	16	115
		Percentage	14.3%	19.3%	26.4%	24.3%	20.4%	17.0%	20.0%
Valid total	Frequency	98	119	91	74	98	94	574	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	0	0	0	0	0	0	0
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	58	75	99	89	73	70	464
	Missing total	Frequency	58	75	99	89	73	70	464
Total		Frequency	156	194	190	163	171	164	1038

Q16.

On how many days did you smoke cigarettes in the last 30 days?

(Asked only of those who answered “some days,” “don’t know,” or “no answer” to Q15 [Do you currently smoke cigarettes every day, some days, or not at all?].)

(Constructed variable)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	1-7 Days	Frequency	8	13	10	4	9	7	51
		Percentage	42.1%	54.2%	52.6%	26.7%	42.9%	30.4%	42.1%
	8-15 Days	Frequency	8	8	8	10	6	10	50
		Percentage	42.1%	33.3%	42.1%	66.7%	28.6%	43.5%	41.3%
	16-30 Days	Frequency	3	3	1	1	6	6	20
		Percentage	15.8%	12.5%	5.3%	6.7%	28.6%	26.1%	16.5%
Valid total		Frequency	19	24	19	15	21	23	121
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Don't know/Not sure	Frequency	0	0	1	0	1	1	3
	No answer/Refused	Frequency	0	0	0	0	1	0	1
	Missing system	Frequency	137	170	170	148	148	140	913
	Missing total	Frequency	137	170	171	148	150	141	917
Total		Frequency	156	194	190	163	171	164	1038

Q17.

How many cigarettes do you smoke per day on the days that you smoke?

(Asked only of those who answered “every day,” “some days,” “don’t know,” or “no answer” to Q15 [Do you currently smoke cigarettes every day, some days, or not at all?].)

(Constructed variable)

		Month of survey						Total	
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07		
Valid	<1-5 cigarettes	Frequency	18	28	26	19	25	24	140
		Percentage	22.2%	29.5%	39.4%	33.9%	32.1%	30.8%	30.8%
	6-9 cigarettes	Frequency	8	10	5	8	6	6	43
		Percentage	9.9%	10.5%	7.6%	14.3%	7.7%	7.7%	9.5%
	10 cigarettes	Frequency	16	16	14	7	11	10	74
		Percentage	19.8%	16.8%	21.2%	12.5%	14.1%	12.8%	16.3%
	11-19 cigarettes	Frequency	9	11	4	8	16	16	64
		Percentage	11.1%	11.6%	6.1%	14.3%	20.5%	20.5%	14.1%
	20 cigarettes	Frequency	20	16	9	13	12	14	84
		Percentage	24.7%	16.8%	13.6%	23.2%	15.4%	17.9%	18.5%
	21-39 cigarettes	Frequency	6	9	5	0	3	5	28
		Percentage	7.4%	9.5%	7.6%	0.0%	3.8%	6.4%	6.2%
	40 or more cigarettes	Frequency	4	5	3	1	5	3	21
		Percentage	4.9%	5.3%	4.5%	1.8%	6.4%	3.8%	4.6%
Valid total	Frequency	81	95	66	56	78	78	454	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	3	1	1	0	0	0	5
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	72	98	123	107	93	86	579
	Missing total	Frequency	75	99	124	107	93	86	584
Total		Frequency	156	194	190	163	171	164	1038

If answered “Less than 100 per day,” “Less than one cigarette a day,” “Don’t know,” or “No answer,” skip to Q18.

Q: SmkChk

You said ___cigarettes. Is this correct?

(Asked only of those who answered “more than 100 per day” to Q17 [How many cigarettes do you smoke per day on the days that you smoke?].)

If answered “no” return to Q17.

Q18.

How soon after you wake up do you usually smoke your first cigarette?

(Asked only of those who answered “every day,” “some days,” “don’t know,” or “no answer” to Q15 [Do you currently smoke cigarettes every day, some days, or not at all?].)

		Month of survey						Total	
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07		
Valid	Within five minutes	Frequency	36	26	17	12	22	16	129
		Percentage	44.4%	29.5%	26.6%	22.6%	30.1%	21.6%	29.8%
	Within 6 to 30 minutes	Frequency	22	27	14	17	17	22	119
		Percentage	27.2%	30.7%	21.9%	32.1%	23.3%	29.7%	27.5%
	Within 31 to 60 minutes	Frequency	5	12	6	6	11	16	56
		Percentage	6.2%	13.6%	9.4%	11.3%	15.1%	21.6%	12.9%
	Within more than 60 minutes	Frequency	18	23	27	18	23	20	129
		Percentage	22.2%	26.1%	42.2%	34.0%	31.5%	27.0%	29.8%
	Valid total	Frequency	81	88	64	53	73	74	433
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Don't know/Not sure	Frequency	3	7	3	3	2	1	19
	No answer/Refused	Frequency	0	1	0	0	3	3	7
	Missing system	Frequency	72	98	123	107	93	86	579
	Missing total	Frequency	75	106	126	110	98	90	605
Total		Frequency	156	194	190	163	171	164	1038

If answered “everyday” to Q15 (Do you currently smoke cigarettes every day, some days, or not at all?) skip to Q30

Q19.

When was the last time you smoked cigarettes daily?

(Asked only of those who answered “some days,” “not at all,” “don’t know,” or “no answer” to Q15 [Do you currently smoke cigarettes every day, some days, or not at all?] AND of those who answered Q13 [And approximately how long has it been since you last used ANY tobacco product?].)

(Constructed variable)

Types of answers provided if complete date not provided.

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Day and month or only month provided	Frequency	57	83	109	76	68	75	468
		Percentage	80.3%	89.2%	93.2%	76.8%	64.8%	83.3%	81.4%
	Only year provided	Frequency	6	6	3	11	27	8	61
		Percentage	8.5%	6.5%	2.6%	11.1%	25.7%	8.9%	10.6%
	Never smoked daily	Frequency	8	4	5	12	10	7	46
		Percentage	11.3%	4.3%	4.3%	12.1%	9.5%	7.8%	8.0%
Valid total	Frequency	71	93	117	99	105	90	575	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	4	4	2	4	1	3	18
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	81	97	71	60	65	71	445
	Missing total	Frequency	85	101	73	64	66	74	463
Total	Frequency	156	194	190	163	171	164	1038	

Of those who provided only the year of last smoking behavior.

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Some time in 2007	Frequency	0	0	0	7	20	7	34
		Percentage	0.0%	0.0%	0.0%	63.6%	74.1%	87.5%	850.0%
	Some time in 2006	Frequency	6	6	3	2	5	1	23
		Percentage	100.0%	100.0%	100.0%	18.2%	18.5%	12.5%	575.0%
	Some time before 2006	Frequency	0	0	0	2	2	0	4
		Percentage	0.0%	0.0%	0.0%	18.2%	7.4%	0.0%	100.0%
Valid total	Frequency	6	6	3	11	27	8	61	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	0	0	0	0	0	0	0
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	150	188	187	152	144	156	977
	Missing total	Frequency	150	188	187	152	144	156	977
Total	Frequency	156	194	190	163	171	164	1038	

Of those who provided the complete date for last smoking behavior (date of interview available to perform this calculation from March 2007 through June 2007).

		Month of survey				Total
		Mar-07	Apr-07	May-07	Jun-07	
1-7 days	Frequency	6	4	1	3	14
	Percentage	5.5%	5.3%	1.6%	4.2%	4.4%
8-30 days	Frequency	11	5	9	5	30
	Percentage	10.1%	6.7%	14.3%	7.0%	9.4%
31- 90 days	Frequency	42	45	28	27	142
	Percentage	38.5%	60.0%	44.4%	38.0%	44.7%
91-180 days	Frequency	23	16	19	28	86
	Percentage	21.1%	21.3%	30.2%	39.4%	27.0%
181-365 days	Frequency	3	3	5	8	19
	Percentage	2.8%	4.0%	7.9%	11.3%	6.0%
More than a year ago	Frequency	24	2	1	0	27
	Percentage	22.0%	2.7%	1.6%	0.0%	8.5%
Total	Frequency	109	75	63	71	318
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%

Of those who provided the complete date for last smoking behavior (precise dates of interview not available to perform calculation for January and February of 2007; calculation instead based on median dates of interview as January 18 or February 20).

		Month of survey		Total
		Jan-07	Feb-07	
1-7 days	Frequency	3	8	27
	Percentage	4.8%	9.0%	5.9%
8-30 days	Frequency	6	7	35
	Percentage	9.5%	7.9%	7.6%
31- 90 days	Frequency	23	37	152
	Percentage	36.5%	41.6%	33.0%
91-180 days	Frequency	12	24	112
	Percentage	19.0%	27.0%	24.3%
181-365 days	Frequency	9	5	63
	Percentage	14.3%	5.6%	13.7%
Some time in 2006	Frequency	6	6	35
	Percentage	9.5%	6.7%	7.6%
Total	Frequency	63	89	460
	Percentage	100.0%	100.0%	100.0%

Q20.

When was the last time you smoked a cigarette, even a puff?

(Asked only of those who answered “some days,” “not at all,” “don’t know,” or “no answer” to Q12 [Do you currently smoke cigarettes every day, some days, or not at all?] AND of those who answered Q13 [And approximately how long has it been since you last used ANY tobacco product?].)

(Constructed variable)

Types of answers provided if complete date not provided.

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Day and month or only month provided	Frequency	61	89	110	84	70	79	493
		Percentage	92.4%	92.7%	94.8%	81.6%	68.6%	87.8%	86.0%
	Only year provided	Frequency	2	3	1	8	26	7	47
		Percentage	3.0%	3.1%	0.9%	7.8%	25.5%	7.8%	8.2%
	Never smoked daily	Frequency	3	4	5	11	6	4	33
		Percentage	4.5%	4.2%	4.3%	10.7%	5.9%	4.4%	5.8%
Valid total	Frequency	66	96	116	103	102	90	573	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	9	1	3	0	4	3	20
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	81	97	71	60	65	71	445
	Missing total	Frequency	90	98	74	60	69	74	465
Total	Frequency	156	194	190	163	171	164	1038	

Of those who provided only the year of last cigarette smoking behavior.

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Some time in 2007	Frequency	0	0	0	5	19	4	28
		Percentage	0.0%	0.0%	0.0%	62.5%	73.1%	57.1%	59.6%
	Some time in 2006	Frequency	2	3	1	1	6	1	14
		Percentage	100.0%	100.0%	100.0%	12.5%	23.1%	14.3%	29.8%
	Some time before 2006	Frequency	0	0	0	2	1	2	5
		Percentage	0.0%	0.0%	0.0%	25.0%	3.8%	28.6%	10.6%
Valid total	Frequency	2	3	1	8	26	7	47	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	0	0	0	0	0	0	0
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	154	191	189	155	145	157	991
	Missing total	Frequency	154	191	189	155	145	157	991
Total	Frequency	156	194	190	163	171	164	1038	

Of those who provided the complete date for last cigarette smoking behavior (date of interview available to perform this calculation from March 2007 through June 2007).

		Month of survey				Total
		Mar-07	Apr-07	May-07	Jun-07	
1-7 days	Frequency	12	12	10	14	48
	Percentage	11.3%	15.6%	16.9%	21.2%	15.6%
8-30 days	Frequency	15	10	10	7	42
	Percentage	14.2%	13.0%	16.9%	10.6%	13.6%
31- 90 days	Frequency	36	32	20	22	110
	Percentage	34.0%	41.6%	33.9%	33.3%	35.7%
91-180 days	Frequency	17	17	14	17	65
	Percentage	16.0%	22.1%	23.7%	25.8%	21.1%
181-365 days	Frequency	4	4	3	5	16
	Percentage	3.8%	5.2%	5.1%	7.6%	5.2%
More than a year ago	Frequency	22	2	2	1	27
	Percentage	20.8%	2.6%	3.4%	1.5%	8.8%
Total	Frequency	106	77	59	66	308
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%

Of those who provided the complete date for last smoking behavior (precise dates of interview not available to perform calculation for January and February of 2007; calculation instead based on median dates of interview as January 18 or February 20).

		Month of survey		Total
		Jan-07	Feb-07	
1-7 days	Frequency	10	25	92
	Percentage	15.9%	27.2%	19.9%
8-30 days	Frequency	10	10	56
	Percentage	15.9%	10.9%	12.1%
31- 90 days	Frequency	19	30	122
	Percentage	30.2%	32.6%	26.4%
91-180 days	Frequency	11	19	97
	Percentage	17.5%	20.7%	21.0%
181-365 days	Frequency	5	2	40
	Percentage	7.9%	2.2%	8.7%
More than a year ago	Frequency	6	3	39
	Percentage	9.5%	3.3%	8.4%
Total	Frequency	63	92	462
	Percentage	100.0%	100.0%	100.0%

If answered “no” to Q12 (Have you smoked ANY cigarettes or used other tobacco, even a puff or a pinch, in the last 30 days?) skip to Q50

Q30.

And do you currently use other tobacco products such as...

(Check all that apply.)

(Asked to everyone except those who answered “no” to Q12 [Have you smoked ANY cigarettes or used other tobacco, even a puff or a pinch, in the last 30 days?].)

		Month of survey						Total
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Cigars	Frequency	1	3	1	2	5	4	16
	Percentage	1.0%	2.5%	1.1%	2.7%	5.1%	4.3%	2.8%
Pipes	Frequency	1	1	0	0	0	1	3
	Percentage	1.0%	0.8%	0.0%	0.0%	0.0%	1.1%	0.5%
Spit tobacco (chew or snuff)	Frequency	5	4	4	7	7	5	32
	Percentage	5.1%	3.4%	4.4%	9.6%	7.1%	5.4%	5.6%
Other tobacco products (such as Bidis)	Frequency	0	0	0	0	1	0	1
	Percentage	0.1%	0.0%	0.0%	0.1%	0.1%	0.1%	0.2%
None of the above	Frequency	92	111	86	64	86	85	524
	Percentage	93.9%	93.3%	94.5%	87.7%	87.8%	91.4%	91.6%

Q30a.

How many cigars do you use per week?

(Asked only of those who answered "cigars" to Q30 [And do you currently use other tobacco products such as...]

AND of everyone except those who answered "no" to Q12 [Have you smoked ANY cigarettes or used other tobacco, even a puff or a pinch, in the last 30 days?].)

		Month of survey						Total	
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07		
Valid	Less than 1 per week.	Frequency	0	1	0	2	1	2	6
		Percentage	0.0%	33.3%	0.0%	100.0%	20.0%	50.0%	37.5%
	1	Frequency	0	0	0	0	0	1	1
		Percentage	0.0%	0.0%	0.0%	0.0%	0.0%	25.0%	6.3%
	2	Frequency	0	0	0	0	1	0	1
		Percentage	0.0%	0.0%	0.0%	0.0%	20.0%	0.0%	6.3%
	3	Frequency	0	0	1	0	1	0	2
		Percentage	0.0%	0.0%	100.0%	0.0%	20.0%	0.0%	12.5%
	4	Frequency	0	0	0	0	0	1	1
		Percentage	0.0%	0.0%	0.0%	0.0%	0.0%	25.0%	6.3%
	5	Frequency	0	0	0	0	0	0	0
		Percentage	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	6	Frequency	0	0	0	0	0	0	0
		Percentage	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	7 or more	Frequency	0	1	0	0	1	0	2
		Percentage	0.0%	33.3%	0.0%	0.0%	20.0%	0.0%	12.5%
Do not use every week	Frequency	1	1	0	0	1	0	3	
	Percentage	100.0%	33.3%	0.0%	0.0%	20.0%	0.0%	18.8%	
Valid total	Frequency	1	3	1	2	5	4	16	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	0	0	0	0	0	0	
	No answer/Refused	Frequency	0	0	0	0	0	0	
	Missing system	Frequency	155	191	189	161	166	160	1022
	Missing total	Frequency	155	191	189	161	166	160	1022
Total	Frequency	156	194	190	163	171	164	1038	

Q30b.

How many pipe bowls do you use per week?

(Asked only of those who answered “pipes” to Q30 [And do you currently use other tobacco products such as...]

AND of everyone except those who answered “no” to Q12 [Have you smoked ANY cigarettes or used other tobacco, even a puff or a pinch, in the last 30 days?].)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Less than 1 per week.	Frequency	1	0	0	0	0	0	1
		Percentage	100.0%	0.0%	-	-	-	0.0%	33.3%
	1	Frequency	0	0	0	0	0	0	0
		Percentage	0.0%	0.0%	-	-	-	0.0%	0.0%
	2	Frequency	0	0	0	0	0	1	1
		Percentage	0.0%	0.0%	-	-	-	100.0%	33.3%
	3	Frequency	0	0	0	0	0	0	0
		Percentage	0.0%	0.0%	-	-	-	0.0%	0.0%
	4	Frequency	0	1	0	0	0	0	1
		Percentage	0.0%	100.0%	-	-	-	0.0%	33.3%
	5	Frequency	0	0	0	0	0	0	0
		Percentage	0.0%	0.0%	-	-	-	0.0%	0.0%
6	Frequency	0	0	0	0	0	0	0	
	Percentage	0.0%	0.0%	-	-	-	0.0%	0.0%	
7 or more	Frequency	0	0	0	0	0	0	0	
	Percentage	0.0%	0.0%	-	-	-	0.0%	0.0%	
Do not use every week	Frequency	0	0	0	0	0	0	0	
	Percentage	0.0%	0.0%	-	-	-	0.0%	0.0%	
Valid total	Frequency	1	1	0	0	0	1	3	
	Percentage	100.0%	100.0%	-	-	-	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	0	0	0	0	0	0	
	No answer/Refused	Frequency	0	0	0	0	0	0	
	Missing system	Frequency	155	193	190	163	171	163	1035
	Missing total	Frequency	155	193	190	163	171	163	1035
Total	Frequency	156	194	190	163	171	164	1038	

Q30c.

How much spit tobacco (chew or snuff) do you use per week?

(Asked only of those who answered "spit tobacco" to Q30 [And do you currently use other tobacco products such as...]
AND of everyone except those who answered "no" to Q12 [Have you smoked ANY cigarettes or used other tobacco,
even a puff or a pinch, in the last 30 days?].)

		Month of survey						Total	
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07		
Valid	Less than 1 per week.	Frequency	0	1	0	0	0	0	1
		Percentage	0.0%	25.0%	0.0%	0.0%	0.0%	0.0%	3.2%
	1	Frequency	2	1	2	1	4	0	10
		Percentage	40.0%	25.0%	66.7%	14.3%	57.1%	0.0%	32.3%
	2	Frequency	0	0	1	2	1	3	7
		Percentage	0.0%	0.0%	33.3%	28.6%	14.3%	60.0%	22.6%
	3	Frequency	0	0	0	2	0	0	2
		Percentage	0.0%	0.0%	0.0%	28.6%	0.0%	0.0%	6.5%
	4	Frequency	1	1	0	1	1	1	5
		Percentage	20.0%	25.0%	0.0%	14.3%	14.3%	20.0%	16.1%
	5	Frequency	0	0	0	0	0	0	0
		Percentage	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	6	Frequency	0	0	0	0	0	1	1
		Percentage	0.0%	0.0%	0.0%	0.0%	0.0%	20.0%	3.2%
	7 or more	Frequency	0	1	0	0	1	0	2
		Percentage	0.0%	25.0%	0.0%	0.0%	14.3%	0.0%	6.5%
Do not use every week	Frequency	2	0	0	1	0	0	3	
	Percentage	40.0%	0.0%	0.0%	14.3%	0.0%	0.0%	9.7%	
Valid total	Frequency	5	4	3	7	7	5	31	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	0	0	1	0	0	1	
	No answer/Refused	Frequency	0	0	0	0	0	0	
	Missing system	Frequency	151	190	186	156	164	159	1006
	Missing total	Frequency	151	190	187	156	164	159	1007
Total	Frequency	156	194	190	163	171	164	1038	

Q30d.

How much other tobacco do you use per week?

(Asked only of those who answered “other tobacco products” to Q30 [And do you currently use other tobacco products such as...] AND of everyone except those who answered “no” to Q12 [Have you smoked ANY cigarettes or used other tobacco, even a puff or a pinch, in the last 30 days?].)

*Note: Nobody was asked this question.

Q40.

Since you first called the Quitline in (Month of enrollment), did you stop using tobacco intentionally for 24 hours or longer because you were trying to quit?

(If needed: For example, if respondent had to stop because of hospitalization, that is not an intentional quit attempt.)

(Asked of everyone except those who answered “no” to Q12 [Have you smoked ANY cigarettes or used other tobacco, even a puff or a pinch, in the last 30 days? AND who were enrolled for three months or less].)

If answered “No,” “Don’t know,” or “No answer,” skip to Q42

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Yes	Frequency	57	100	66	63	83	79	448
		Percentage	90.5%	84.0%	75.9%	88.7%	84.7%	85.9%	84.5%
	No	Frequency	6	19	21	8	15	13	82
		Percentage	9.5%	16.0%	24.1%	11.3%	15.3%	14.1%	15.5%
Valid total		Frequency	63	119	87	71	98	92	530
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Don't know/Not sure	Frequency	0	0	4	2	0	1	7
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	93	75	99	90	73	71	501
	Missing total	Frequency	93	75	103	92	73	72	508
Total		Frequency	156	194	190	163	171	164	1038

Q41.

And how many times did you stop using tobacco for 24 hours or longer because you were trying to quit?

(Asked only to those who answered “yes” to Q40 [Since you first called the Quitline in (Month of enrollment), did you stop using tobacco intentionally for 24 hours or longer because you were trying to quit?] AND of everyone except those who answered “no” to Q12 [Have you smoked ANY cigarettes or used other tobacco, even a puff or a pinch, in the last 30 days?] AND only of those who were enrolled for three months.)

(Constructed variable)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	0 times	Frequency	1	0	0	0	1	0	2
		Percentage	1.9%	0.0%	0.0%	0.0%	1.4%	0.0%	0.5%
	1 to 3 times	Frequency	31	48	38	37	38	40	232
		Percentage	57.4%	55.8%	73.1%	64.9%	51.4%	65.6%	60.4%
	4 to 6 times	Frequency	16	29	11	13	18	12	99
		Percentage	29.6%	33.7%	21.2%	22.8%	24.3%	19.7%	25.8%
	7 to 9 times	Frequency	1	5	0	1	1	2	10
		Percentage	1.9%	5.8%	0.0%	1.8%	1.4%	3.3%	2.6%
	10 or more times	Frequency	5	4	3	6	16	7	41
		Percentage	9.3%	4.7%	5.8%	10.5%	21.6%	11.5%	10.7%
	Valid total	Frequency	54	86	52	57	74	61	384
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Don't know/Not sure	Frequency	3	13	13	6	9	17	61
	No answer/Refused	Frequency	0	1	1	0	0	1	3
	Missing system	Frequency	99	94	124	100	88	85	590
	Missing total	Frequency	102	108	138	106	97	103	654
Total	Frequency	156	194	190	163	171	164	1038	

Q42.

Do you intend to quit using tobacco products within the next 30 days?

(Asked of everyone except those who answered “no” to Q12 [Have you smoked ANY cigarettes or used other tobacco, even a puff or a pinch, in the last 30 days?].)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Yes	Frequency	77	93	72	61	78	66	447
		Percentage	84.6%	84.5%	83.7%	84.7%	89.7%	79.5%	84.5%
	No	Frequency	14	17	14	11	9	17	82
		Percentage	15.4%	15.5%	16.3%	15.3%	10.3%	20.5%	15.5%
Valid total		Frequency	91	110	86	72	87	83	529
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Don't know/Not sure	Frequency	7	9	5	1	11	10	43
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	58	75	99	90	73	71	466
	Missing total	Frequency	65	84	104	91	84	81	509
Total		Frequency	156	194	190	163	171	164	1038

Q50.

Since you enrolled in the Wyoming Quit Tobacco Program, have you used any of the following non-prescription medications to help you quit?

Read choices ONE AT A TIME; check all that apply.

*Note – numbers do not sum to 100% as participants may select more than one option.

(Constructed variable)

		Month of survey						Total
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Nicotine patch	Frequency	59	60	46	33	51	25	274
	Percentage	42.1%	35.5%	27.7%	22.9%	31.7%	17.0%	29.6%
Nicotine gum (Nicorette)	Frequency	34	26	30	25	31	16	162
	Percentage	24.3%	15.4%	18.1%	17.4%	19.3%	10.9%	17.5%
Nicotine lozenge (Commit)	Frequency	25	19	18	12	21	12	107
	Percentage	17.9%	11.2%	10.8%	8.3%	13.0%	8.2%	11.5%
Nasal Spray	Frequency	2	0	1	1	1	0	5
	Percentage	1.4%	0.0%	0.6%	0.7%	0.6%	0.0%	0.5%
Other (please specify)	Frequency	0	1	1	0	3	1	6
	Percentage	0.0%	0.6%	0.6%	0.0%	1.9%	0.7%	0.6%
None of the above	Frequency	63	89	104	89	90	106	541
	Percentage	45.0%	52.7%	62.7%	61.8%	55.9%	72.1%	58.4%

Q51.

Since you enrolled in the Wyoming Quit Tobacco Program, have you used any of the following prescription medications?

Read choices ONE AT A TIME; check all that apply.

*Note – numbers do not sum to 100% as participants may select more than one option.
(Constructed variable)

		Month of survey						Total
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Zyban, Wellbutrin, bupropion	Frequency	28	25	19	18	14	21	125
	Percentage	20.0%	14.8%	11.4%	12.5%	8.7%	14.3%	13.5%
Clonidine	Frequency	2	1	0	0	0	2	5
	Percentage	1.4%	0.6%	0.0%	0.0%	0.0%	1.4%	0.5%
Nicotine inhaler	Frequency	4	2	2	0	1	2	11
	Percentage	2.9%	1.2%	1.2%	0.0%	0.6%	1.4%	1.2%
Other (please specify)	Frequency	42	67	87	87	81	76	440
	Percentage	30.0%	39.6%	52.4%	60.4%	50.3%	51.7%	47.5%
None of the above	Frequency	67	79	62	42	69	50	369
	Percentage	47.9%	46.7%	37.3%	29.2%	42.9%	34.0%	39.8%

Q60intro

I have just a couple more questions. Now we'd like to know what things may have helped during your attempt to quit. I'm going to read some items and ask you to rate how helpful each one was. If you didn't use an item at all, just let me know.

If did not answer “free or reduced-price nicotine replacement therapy (or NRT) products” to Q4 [Which of these components of the Wyoming Quit Tobacco Program have you participated in?] AND answered “Campbell,” “Carbon,” “Converse,” “Crook,” “Fremont,” “Goshen,” “Hot Springs,” “Johnson,” “Lincoln,” “Niobrara,” “Platte,” “Sublette,” “Teton,” “Uinta,” “Washakie,” “Weston,” “doesn’t live in WY,” “don’t know,” or “not sure” to Q3 [In which county in Wyoming do you live?], skip to Q61.

Q60.

Would you say that the Wyoming Quit Tobacco Program's program coordinator was...

If needed: We'd like to know what things may have helped during your attempt to quit. Would you say the Wyoming Quit Tobacco Program's program coordinator was...

(Asked only of those who answered "free or reduced-price nicotine replacement therapy (or NRT) products" to Q4 [Which of these components of the Wyoming Quit Tobacco Program have you participated in?] AND answered "Albany," "Big Horn," "Laramie," "Natrona," "Park," "Sheridan," or "Sweetwater" to Q3 [In which county in Wyoming do you live?])

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	1	3	2	2	0	3	11
		Percentage	1.6%	3.2%	2.5%	2.7%	0.0%	3.8%	2.4%
	Not too helpful	Frequency	4	2	1	3	0	1	11
		Percentage	6.3%	2.1%	1.3%	4.0%	0.0%	1.3%	2.4%
	Somewhat helpful	Frequency	16	21	21	8	12	13	91
		Percentage	25.4%	22.1%	26.3%	10.7%	17.6%	16.7%	19.8%
	Very helpful	Frequency	42	69	56	62	56	61	346
		Percentage	66.7%	72.6%	70.0%	82.7%	82.4%	78.2%	75.4%
	Valid total	Frequency	63	95	80	75	68	78	459
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Did not use	Frequency	1	1	3	0	3	2	10
	Don't know/Not sure	Frequency	1	1	1	0	0	0	3
	No answer/Refused	Frequency	0	1	0	0	0	0	1
	Missing system	Frequency	91	96	106	88	100	84	565
	Missing total	Frequency	93	99	110	88	103	86	579
Total	Frequency	156	194	190	163	171	164	1038	

If did not answer "Quitline telephone counseling" to Q4 [Which of these components of the Wyoming Quit Tobacco Program have you participated in?], skip to Q62.

Q61.

Would you say telephone counseling was...

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say telephone counseling was...)

([February 2007–June 2007] Asked only of those who answered “Quitline telephone counseling” to Q4 [Which of these components of the Wyoming Quit Tobacco Program have you participated in?])

		Month of survey						Total	
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07		
Valid	Not helpful at all	Frequency	7	8	6	8	7	7	43
		Percentage	7.1%	8.3%	6.0%	8.7%	7.4%	8.1%	7.6%
	Not too helpful	Frequency	8	6	3	4	4	4	29
		Percentage	8.2%	6.3%	3.0%	4.3%	4.3%	4.7%	5.1%
	Somewhat helpful	Frequency	28	20	28	23	31	27	157
		Percentage	28.6%	20.8%	28.0%	25.0%	33.0%	31.4%	27.7%
	Very helpful	Frequency	55	62	63	57	52	48	337
		Percentage	56.1%	64.6%	63.0%	62.0%	55.3%	55.8%	59.5%
	Valid total	Frequency	98	96	100	92	94	86	566
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Did not use	Frequency	41	7	2	2	3	4	59
	Don't know/Not sure	Frequency	1	4	1	2	2	4	14
	No answer/Refused	Frequency	0	0	1	0	0	0	1
	Missing system	Frequency	16	87	86	67	72	70	398
	Missing total	Frequency	58	98	90	71	77	78	472
Total	Frequency	156	194	190	163	171	164	1038	

(February 2007–June 2007) If did not answer “Quitnet internet based cessation support” to Q4 [Which of these components of the Wyoming Quit Tobacco Program have you participated in?], skip to Q63.

Q62.

What about Quitnet?

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say Quitnet was...)

(February 2007–June 2007) Asked only of those who answered “Quitnet internet based cessation support” to Q4
 [Which of these components of the Wyoming Quit Tobacco Program have you participated in?]

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	4	4	1	1	1	2	13
		Percentage	8.3%	8.3%	2.3%	2.3%	2.2%	4.9%	4.8%
	Not too helpful	Frequency	1	5	2	1	1	3	13
		Percentage	2.1%	10.4%	4.7%	2.3%	2.2%	7.3%	4.8%
	Somewhat helpful	Frequency	22	21	17	20	20	16	116
		Percentage	45.8%	43.8%	39.5%	45.5%	44.4%	39.0%	43.1%
	Very helpful	Frequency	21	18	23	22	23	20	127
		Percentage	43.8%	37.5%	53.5%	50.0%	51.1%	48.8%	47.2%
	Valid total	Frequency	48	48	43	44	45	41	269
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Did not use	Frequency	89	4	5	1	1	3	103
	Don't know/Not sure	Frequency	3	1	2	1	0	3	10
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	141	140	117	125	117	656
	Missing total	Frequency	108	146	147	119	126	123	769
Total	Frequency	156	194	190	163	171	164	1038	

(February 2007–June 2007) If answered “none of the above” to Q51 [Since you enrolled in the Wyoming Quit Tobacco Program, have you used any of the following prescription medications?], skip to Q64.

Q63.

Prescription medications?

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say prescription medications were...)

([February 2007–June 2007] Asked only of those who did not answer “none of the above” to Q51 [Since you enrolled in the Wyoming Quit Tobacco Program, have you used any of the following prescription medications?])

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	5	10	6	6	6	5	38
		Percentage	7.0%	11.6%	6.0%	6.0%	6.7%	5.3%	7.0%
	Not too helpful	Frequency	4	5	0	2	4	1	16
		Percentage	5.6%	5.8%	0.0%	2.0%	4.5%	1.1%	3.0%
	Somewhat helpful	Frequency	14	12	17	11	14	14	82
		Percentage	19.7%	14.0%	17.0%	11.0%	15.7%	14.7%	15.2%
	Very helpful	Frequency	48	59	77	81	65	75	405
		Percentage	67.6%	68.6%	77.0%	81.0%	73.0%	78.9%	74.9%
	Valid total	Frequency	71	86	100	100	89	95	541
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Did not use	Frequency	67	3	2	1	1	0	74
	Don't know/Not sure	Frequency	2	1	2	1	2	2	10
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	104	86	61	79	67	413
	Missing total	Frequency	85	108	90	63	82	69	497
Total	Frequency	156	194	190	163	171	164	1038	

(February 2007–March 2007) If did not answer “nasal spray” to Q50 [Since you enrolled in the Wyoming Quit Tobacco Program, have you used any of the following non-prescription medications to help you quit?], skip to Q65.

Q64.

Nicotine inhaler or nasal spray?

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say nicotine inhaler or nasal spray was...)

([February 2007–June 2007] Asked only of those who answered “nasal spray” to Q50 [Since you enrolled in the Wyoming Quit Tobacco Program, have you used any of the following non-prescription medications to help you quit?])

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	3	0	0	1	0	0	4
		Percentage	33.3%	-	0.0%	100.0%	-	-	36.4%
	Not too helpful	Frequency	0	0	0	0	0	0	0
		Percentage	0.0%	-	0.0%	0.0%	-	-	0.0%
	Somewhat helpful	Frequency	2	0	0	0	0	0	2
		Percentage	22.2%	-	0.0%	0.0%	-	-	18.2%
Very helpful	Frequency	4	0	1	0	0	0	5	
	Percentage	44.4%	-	100.0%	0.0%	-	-	45.5%	
Valid total	Frequency	9	0	1	1	0	0	11	
	Percentage	100.0%	-	100.0%	100.0%	-	-	100.0%	
Missing	Did not use	Frequency	131	0	0	0	1	0	132
	Don't know/Not sure	Frequency	0	0	0	0	0	0	0
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	194	189	162	170	164	895
	Missing total	Frequency	147	194	189	162	171	164	1027
Total	Frequency	156	194	190	163	171	164	1038	

(February 2007–June 2007) If did not answer “nicotine patch” to Q50 [Since you enrolled in the Wyoming Quit Tobacco Program, have you used any of the following non-prescription medications to help you quit?], skip to Q66.

Q65.

Nicotine patch?

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say the nicotine patch was...)

([February 2007–June 2007] Asked only of those who answered “nicotine patch” to Q50 [Since you enrolled in the Wyoming Quit Tobacco Program, have you used any of the following non-prescription medications to help you quit?])

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	7	8	11	3	8	4	41
		Percentage	10.8%	13.6%	23.9%	9.1%	16.3%	16.0%	14.8%
	Not too helpful	Frequency	11	3	5	4	2	0	25
		Percentage	16.9%	5.1%	10.9%	12.1%	4.1%	0.0%	9.0%
	Somewhat helpful	Frequency	16	11	11	11	11	6	66
		Percentage	24.6%	18.6%	23.9%	33.3%	22.4%	24.0%	23.8%
	Very helpful	Frequency	31	37	19	15	28	15	145
		Percentage	47.7%	62.7%	41.3%	45.5%	57.1%	60.0%	52.3%
	Valid total	Frequency	65	59	46	33	49	25	277
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Did not use	Frequency	74	0	0	0	2	0	76
	Don't know/Not sure	Frequency	1	1	0	0	0	0	2
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	134	144	130	120	139	683
	Missing total	Frequency	91	135	144	130	122	139	761
Total	Frequency	156	194	190	163	171	164	1038	

(February 2007–June 2007) If did not answer “nicotine lozenges” to Q50 [Since you enrolled in the Wyoming Quit Tobacco Program, have you used any of the following non-prescription medications to help you quit?], skip to Q67.

Q66.

Nicotine lozenge?

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say nicotine lozenge were...)

([February 2007–June 2007] Asked only of those who answered “nicotine lozenges” to Q50 [Since you enrolled in the Wyoming Quit Tobacco Program, have you used any of the following non-prescription medications to help you quit?])

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	5	4	6	2	6	0	23
		Percentage	20.0%	23.5%	33.3%	16.7%	33.3%	0.0%	22.5%
	Not too helpful	Frequency	5	2	6	2	3	0	18
		Percentage	20.0%	11.8%	33.3%	16.7%	16.7%	0.0%	17.6%
	Somewhat helpful	Frequency	8	5	1	4	1	5	24
		Percentage	32.0%	29.4%	5.6%	33.3%	5.6%	41.7%	23.5%
	Very helpful	Frequency	7	6	5	4	8	7	37
		Percentage	28.0%	35.3%	27.8%	33.3%	44.4%	58.3%	36.3%
	Valid total	Frequency	25	17	18	12	18	12	102
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Did not use	Frequency	115	1	0	0	2	0	118
	Don't know/Not sure	Frequency	0	1	0	0	1	0	2
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	175	172	151	150	152	816
	Missing total	Frequency	131	177	172	151	153	152	936
Total	Frequency	156	194	190	163	171	164	1038	

(February 2007–June 2007) If did not answer “nicotine gum” to Q50 [Since you enrolled in the Wyoming Quit Tobacco Program, have you used any of the following non-prescription medications to help you quit?], skip to Q68.

Q67.

Nicotine gum?

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say the nicotine gum was...)

([February 2007–June 2007] Asked only of those who answered "nicotine gum" to Q50 [Since you enrolled in the Wyoming Quit Tobacco Program, have you used any of the following non-prescription medications to help you quit?])

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	3	5	3	4	4	2	21
		Percentage	8.1%	20.0%	10.3%	16.7%	13.3%	12.5%	13.0%
	Not too helpful	Frequency	11	1	2	4	3	2	23
		Percentage	29.7%	4.0%	6.9%	16.7%	10.0%	12.5%	14.3%
	Somewhat helpful	Frequency	10	8	5	12	11	6	52
		Percentage	27.0%	32.0%	17.2%	50.0%	36.7%	37.5%	32.3%
	Very helpful	Frequency	13	11	19	4	12	6	65
		Percentage	35.1%	44.0%	65.5%	16.7%	40.0%	37.5%	40.4%
	Valid total	Frequency	37	25	29	24	30	16	161
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Did not use	Frequency	103	0	1	0	1	0	105
	Don't know/Not sure	Frequency	0	1	0	1	0	0	2
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	168	160	138	140	148	770
	Missing total	Frequency	119	169	161	139	141	148	877
Total	Frequency	156	194	190	163	171	164	1038	

Q68.

Support from family and friends?

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say family and friends were...)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	6	6	7	5	7	8	39
		Percentage	4.8%	3.9%	4.6%	3.9%	4.6%	6.3%	4.6%
	Not too helpful	Frequency	11	10	10	6	3	3	43
		Percentage	8.9%	6.5%	6.6%	4.7%	2.0%	2.4%	5.1%
	Somewhat helpful	Frequency	28	31	28	23	38	38	186
		Percentage	22.6%	20.0%	18.4%	17.8%	25.0%	29.9%	22.2%
	Very helpful	Frequency	79	108	107	95	104	78	571
		Percentage	63.7%	69.7%	70.4%	73.6%	68.4%	61.4%	68.1%
	Valid total	Frequency	124	155	152	129	152	127	839
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Did not use	Frequency	16	10	14	13	9	16	78
	Don't know/Not sure	Frequency	0	4	0	2	0	4	10
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	25	24	19	10	17	111
	Missing total	Frequency	32	39	38	34	19	37	199
Total	Frequency	156	194	190	163	171	164	1038	

Q69.

Personal motivation?

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say personal motivation was...)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	8	5	2	6	7	5	33
		Percentage	6.0%	3.1%	1.2%	4.3%	4.5%	3.5%	3.7%
	Not too helpful	Frequency	12	10	6	9	9	11	57
		Percentage	9.0%	6.1%	3.7%	6.4%	5.8%	7.8%	6.4%
	Somewhat helpful	Frequency	35	41	37	31	40	44	228
		Percentage	26.3%	25.2%	23.0%	22.0%	26.0%	31.2%	25.5%
Very helpful	Frequency	78	107	116	95	98	81	575	
	Percentage	58.6%	65.6%	72.0%	67.4%	63.6%	57.4%	64.4%	
Valid total	Frequency	133	163	161	141	154	141	893	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Did not use	Frequency	5	4	4	1	6	2	22
	Don't know/Not sure	Frequency	2	2	1	2	1	4	12
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	25	24	19	10	17	111
	Missing total	Frequency	23	31	29	22	17	23	145
Total	Frequency	156	194	190	163	171	164	1038	

Q70.

Religious faith?

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say religious faith was...)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	4	16	3	13	8	14	58
		Percentage	7.8%	22.2%	4.2%	20.3%	14.3%	21.9%	15.3%
	Not too helpful	Frequency	10	4	8	8	5	5	40
		Percentage	19.6%	5.6%	11.3%	12.5%	8.9%	7.8%	10.6%
	Somewhat helpful	Frequency	21	21	19	21	17	17	116
		Percentage	41.2%	29.2%	26.8%	32.8%	30.4%	26.6%	30.7%
Very helpful	Frequency	16	31	41	22	26	28	164	
	Percentage	31.4%	43.1%	57.7%	34.4%	46.4%	43.8%	43.4%	
Valid total	Frequency	51	72	71	64	56	64	378	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Did not use	Frequency	89	96	95	79	103	81	543
	Don't know/Not sure	Frequency	0	1	0	1	2	2	6
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	25	24	19	10	17	111
	Missing total	Frequency	105	122	119	99	115	100	660
Total	Frequency	156	194	190	163	171	164	1038	

Q71.

Smokefree environments?

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say smokefree environments were...)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	9	10	11	7	13	7	57
		Percentage	8.2%	7.8%	8.3%	6.5%	10.3%	7.8%	8.2%
	Not too helpful	Frequency	12	10	9	7	10	1	49
		Percentage	10.9%	7.8%	6.8%	6.5%	7.9%	1.1%	7.1%
	Somewhat helpful	Frequency	22	24	22	30	29	22	149
		Percentage	20.0%	18.8%	16.5%	27.8%	23.0%	24.4%	21.4%
	Very helpful	Frequency	67	84	91	64	74	60	440
		Percentage	60.9%	65.6%	68.4%	59.3%	58.7%	66.7%	63.3%
	Valid total	Frequency	110	128	133	108	126	90	695
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Did not use	Frequency	29	36	29	29	31	46	200
	Don't know/Not sure	Frequency	1	5	4	6	2	10	28
	No answer/Refused	Frequency	0	0	0	1	2	1	4
	Missing system	Frequency	16	25	24	19	10	17	111
	Missing total	Frequency	46	66	57	55	45	74	343
Total	Frequency	156	194	190	163	171	164	1038	

Q72.

Physician?

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say a physician was...)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	5	7	8	7	11	3	41
		Percentage	6.9%	6.4%	7.1%	8.0%	12.0%	3.9%	7.5%
	Not too helpful	Frequency	6	7	12	7	7	5	44
		Percentage	8.3%	6.4%	10.7%	8.0%	7.6%	6.6%	8.0%
	Somewhat helpful	Frequency	21	28	26	25	25	24	149
		Percentage	29.2%	25.7%	23.2%	28.7%	27.2%	31.6%	27.2%
	Very helpful	Frequency	40	67	66	48	49	44	314
		Percentage	55.6%	61.5%	58.9%	55.2%	53.3%	57.9%	57.3%
	Valid total	Frequency	72	109	112	87	92	76	548
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Did not use	Frequency	68	58	54	54	69	68	371
	Don't know/Not sure	Frequency	0	2	0	3	0	3	8
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	25	24	19	10	17	111
	Missing total	Frequency	84	85	78	76	79	88	490
Total	Frequency	156	194	190	163	171	164	1038	

Q73.

Nurse?

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say a nurse was...)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	2	3	5	0	5	2	17
		Percentage	11.1%	16.7%	25.0%	0.0%	23.8%	8.0%	13.5%
	Not too helpful	Frequency	2	1	0	3	1	2	9
		Percentage	11.1%	5.6%	0.0%	12.5%	4.8%	8.0%	7.1%
	Somewhat helpful	Frequency	7	4	5	5	7	4	32
		Percentage	38.9%	22.2%	25.0%	20.8%	33.3%	16.0%	25.4%
	Very helpful	Frequency	7	10	10	16	8	17	68
		Percentage	38.9%	55.6%	50.0%	66.7%	38.1%	68.0%	54.0%
	Valid total	Frequency	18	18	20	24	21	25	126
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Did not use	Frequency	121	149	146	119	137	119	791
	Don't know/Not sure	Frequency	1	2	0	1	2	3	9
	No answer/Refused	Frequency	0	0	0	0	1	0	1
	Missing system	Frequency	16	25	24	19	10	17	111
	Missing total	Frequency	138	176	170	139	150	139	912
Total	Frequency	156	194	190	163	171	164	1038	

Q74.

Pharmacist?

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say a pharmacist was...)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	9	15	10	4	17	3	58
		Percentage	18.4%	19.2%	11.2%	5.3%	20.5%	4.7%	13.2%
	Not too helpful	Frequency	6	8	14	18	3	3	52
		Percentage	12.2%	10.3%	15.7%	24.0%	3.6%	4.7%	11.9%
	Somewhat helpful	Frequency	17	17	30	23	27	20	134
		Percentage	34.7%	21.8%	33.7%	30.7%	32.5%	31.3%	30.6%
	Very helpful	Frequency	17	38	35	30	36	38	194
		Percentage	34.7%	48.7%	39.3%	40.0%	43.4%	59.4%	44.3%
	Valid total	Frequency	49	78	89	75	83	64	438
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Did not use	Frequency	91	91	75	65	78	82	482
	Don't know/Not sure	Frequency	0	0	2	4	0	1	7
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	25	24	19	10	17	111
	Missing total	Frequency	107	116	101	88	88	100	600
Total	Frequency	156	194	190	163	171	164	1038	

Q75.

Dentist?

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say a dentist was...)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	2	9	3	1	7	3	25
		Percentage	11.8%	39.1%	12.0%	7.7%	26.9%	13.0%	19.7%
	Not too helpful	Frequency	3	3	5	2	1	3	17
		Percentage	17.6%	13.0%	20.0%	15.4%	3.8%	13.0%	13.4%
	Somewhat helpful	Frequency	5	7	8	6	9	12	47
		Percentage	29.4%	30.4%	32.0%	46.2%	34.6%	52.2%	37.0%
	Very helpful	Frequency	7	4	9	4	9	5	38
		Percentage	41.2%	17.4%	36.0%	30.8%	34.6%	21.7%	29.9%
	Valid total	Frequency	17	23	25	13	26	23	127
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Did not use	Frequency	122	143	141	131	135	123	795
	Don't know/Not sure	Frequency	1	3	0	0	0	1	5
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	25	24	19	10	17	111
	Missing total	Frequency	139	171	165	150	145	141	911
Total	Frequency	156	194	190	163	171	164	1038	

Q76.

Group cessation?

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say group cessation was...)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	1	3	2	5	4	1	16
		Percentage	8.3%	23.1%	15.4%	31.3%	40.0%	10.0%	21.6%
	Not too helpful	Frequency	3	1	1	0	0	1	6
		Percentage	25.0%	7.7%	7.7%	0.0%	0.0%	10.0%	8.1%
	Somewhat helpful	Frequency	5	2	2	6	4	6	25
		Percentage	41.7%	15.4%	15.4%	37.5%	40.0%	60.0%	33.8%
	Very helpful	Frequency	3	7	8	5	2	2	27
		Percentage	25.0%	53.8%	61.5%	31.3%	20.0%	20.0%	36.5%
	Valid total	Frequency	12	13	13	16	10	10	74
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Did not use	Frequency	128	154	152	128	151	137	850
	Don't know/Not sure	Frequency	0	2	1	0	0	0	3
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	25	24	19	10	17	111
	Missing total	Frequency	144	181	177	147	161	154	964
Total	Frequency	156	194	190	163	171	164	1038	

(February 2007–June 2007) If did not answer “self-help materials” to Q4 [Which of these components of the Wyoming Quit Tobacco Program have you participated in?], skip to Q78.

Q77.

Self-help materials?

(If needed: We'd like to know what things may have helped during your attempt to quit. Would you say self help materials were...)

([February 2007–June 2007] Asked only of those who answered "self-help materials" to Q4 [Which of these components of the Wyoming Quit Tobacco Program have you participated in?])

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	6	5	4	2	7	7	31
		Percentage	6.3%	5.3%	4.0%	2.4%	6.7%	7.4%	5.4%
	Not too helpful	Frequency	10	8	4	6	7	8	43
		Percentage	10.4%	8.4%	4.0%	7.2%	6.7%	8.5%	7.5%
	Somewhat helpful	Frequency	55	39	49	40	45	43	271
		Percentage	57.3%	41.1%	48.5%	48.2%	42.9%	45.7%	47.2%
	Very helpful	Frequency	25	43	44	35	46	36	229
		Percentage	26.0%	45.3%	43.6%	42.2%	43.8%	38.3%	39.9%
	Valid total	Frequency	96	95	101	83	105	94	574
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Did not use	Frequency	43	12	11	5	13	9	93
	Don't know/Not sure	Frequency	1	4	1	2	0	3	11
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	16	83	77	73	53	58	360
	Missing total	Frequency	60	99	89	80	66	70	464
Total	Frequency	156	194	190	163	171	164	1038	

Q78.

What other things have you used during your attempt to quit?

Type 'none' if "No other things have helped."

If answered "None," skip to Q80.

Q78a.

And how helpful was/were:

(Asked only to those who did not answer “none” to Q78 [What other things have helped you?].)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Not helpful at all	Frequency	1	0	1	0	2	3	7
		Percentage	2.2%	0.0%	1.6%	0.0%	3.7%	6.7%	2.3%
	Not too helpful	Frequency	1	1	0	0	0	1	3
		Percentage	2.2%	1.6%	0.0%	0.0%	0.0%	2.2%	1.0%
	Somewhat helpful	Frequency	6	12	5	12	18	9	62
		Percentage	13.0%	19.4%	8.2%	30.0%	33.3%	20.0%	20.1%
	Very helpful	Frequency	38	49	55	28	34	32	236
		Percentage	82.6%	79.0%	90.2%	70.0%	63.0%	71.1%	76.6%
	Valid total	Frequency	46	62	61	40	54	45	308
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Don't know/Not sure	Frequency	1	0	0	1	0	0	2
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	109	132	129	122	117	119	728
	Missing total	Frequency	110	132	129	123	117	119	730
Total		Frequency	156	194	190	163	171	164	1038

If did not answer “free or reduced-price nicotine replacement therapy (or NRT) products” to Q4 [Which of these components of the Wyoming Quit Tobacco Program have you participated in?] AND answered “Campbell,” “Carbon,” “Converse,” “Crook,” “Fremont,” “Goshen,” “Hot Springs,” “Johnson,” “Lincoln,” “Niobrara,” “Platte,” “Sublette,” “Teton,” “Uinta,” “Washakie,” “Weston,” “doesn’t live in WY,” “don’t know,” or “not sure” to Q3 [In which county in Wyoming do you live?] skip to Q83

Q80.

Did you meet with a coordinator face-to-face or were your vouchers processed over the phone?
(Asked only to those who answered “free or reduced-price nicotine replacement therapy (or NRT) products” to Q4 [Which of these components of the Wyoming Quit Tobacco Program have you participated in?] AND answered “Albany,” “Big Horn,” “Laramie,” “Natrona,” “Park,” “Sheridan,” or “Sweetwater” to Q3 [In which county in Wyoming do you live?].)

If answered “Over the phone,” “Neither,” “Don’t know,” or “No answer,” skip to Q83.

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Face-to-face	Frequency	20	13	14	16	13	8	84
		Percentage	30.8%	13.4%	17.1%	21.3%	18.8%	10.1%	18.0%
	Over the phone	Frequency	45	79	66	57	54	64	365
		Percentage	69.2%	81.4%	80.5%	76.0%	78.3%	81.0%	78.2%
	Both	Frequency	0	3	0	2	1	5	11
		Percentage	0.0%	3.1%	0.0%	2.7%	1.4%	6.3%	2.4%
	Neither	Frequency	0	2	2	0	1	2	7
		Percentage	0.0%	2.1%	2.4%	0.0%	1.4%	2.5%	1.5%
	Valid total	Frequency	65	97	82	75	69	79	467
		Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Missing	Don't know/Not sure	Frequency	0	1	1	0	0	0	2
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	91	96	107	88	102	85	569
	Missing total	Frequency	91	97	108	88	102	85	571
Total	Frequency	156	194	190	163	171	164	1038	

Q81.

As near as you can recall, about how many times in total did you meet face-to-face with the local program coordinator?

(Asked only of those who answered “face-to-face” or “both” to Q80 [Did you meet with a coordinator face-to-face or were your vouchers processed over the phone?] AND answered “free or reduced-price nicotine replacement therapy (or NRT) products” to Q4 [Which of these components of the Wyoming Quit Tobacco Program have you participated in?] AND answered “Albany,” “Big Horn,” “Laramie,” “Natrona,” “Park,” “Sheridan,” or “Sweetwater” to Q3 [In which county in Wyoming do you live?])

(Constructed variable)

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	One time	Frequency	3	6	3	10	6	1	29
		Percentage	15.0%	37.5%	23.1%	55.6%	42.9%	7.7%	30.9%
	Two times	Frequency	7	4	5	5	4	5	30
		Percentage	35.0%	25.0%	38.5%	27.8%	28.6%	38.5%	31.9%
	Three times	Frequency	2	3	3	1	3	1	13
		Percentage	10.0%	18.8%	23.1%	5.6%	21.4%	7.7%	13.8%
	Four times	Frequency	3	2	0	1	0	5	11
		Percentage	15.0%	12.5%	0.0%	5.6%	0.0%	38.5%	11.7%
	Five or more times	Frequency	5	1	2	1	1	1	11
		Percentage	25.0%	6.3%	15.4%	5.6%	7.1%	7.7%	11.7%
Valid total	Frequency	20	16	13	18	14	13	94	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	0	0	1	0	0	0	1
	No answer/Refused	Frequency	0	0	0	0	0	0	0
	Missing system	Frequency	136	178	176	145	157	151	943
	Missing total	Frequency	136	178	177	145	157	151	944
Total	Frequency	156	194	190	163	171	164	1038	

Q83.

Have you recommended the Wyoming Quit Tobacco Program to...

Read choices ONE AT A TIME; check all that apply.

*Note – numbers do not sum to 100% as participants may select more than one option.

		Month of survey						Total
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Members of family who use tobacco	Frequency	87	91	102	78	76	76	510
	Percentage	61.7%	53.8%	60.7%	53.8%	50.7%	50.7%	54.2%
Friends or co-workers who use tobacco	Frequency	100	119	122	108	99	99	647
	Percentage	70.9%	70.4%	72.6%	74.5%	66.0%	66.0%	68.8%
Other tobacco users	Frequency	67	63	77	59	54	54	374
	Percentage	47.5%	37.3%	45.8%	40.7%	36.0%	36.0%	39.7%
People who do not use tobacco	Frequency	26	23	30	21	28	28	156
	Percentage	18.4%	13.6%	17.9%	14.5%	18.7%	18.7%	16.6%
None of the above	Frequency	20	28	26	23	28	28	153
	Percentage	14.2%	16.6%	15.5%	15.9%	18.7%	18.7%	16.3%

Q84.

Overall, how satisfied are you with the service you received from the Wyoming Quit Tobacco Program?

		Month of survey						Total	
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07		
Valid	Very satisfied	Frequency	90	117	115	99	112	109	642
		Percentage	65.2%	71.3%	68.9%	70.2%	68.7%	74.1%	69.8%
	Mostly satisfied	Frequency	18	22	30	19	21	17	127
		Percentage	13.0%	13.4%	18.0%	13.5%	12.9%	11.6%	13.8%
	Somewhat satisfied	Frequency	19	19	12	14	23	13	100
		Percentage	13.8%	11.6%	7.2%	9.9%	14.1%	8.8%	10.9%
Not at all satisfied	Frequency	11	6	10	9	7	8	51	
	Percentage	8.0%	3.7%	6.0%	6.4%	4.3%	5.4%	5.5%	
Valid total	Frequency	138	164	167	141	163	147	920	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	3	5	1	2	5	3	19
	No answer/Refused	Frequency	0	0	0	2	0	0	2
	Missing system	Frequency	15	25	22	18	3	14	97
	Missing total	Frequency	18	30	23	22	8	17	118
Total	Frequency	156	194	190	163	171	164	1038	

Q: Age

(October 2006–January 2007) Information provided by WHRN and ACS.
(Constructed variable)

(February 2007–March 2007) What is your age?

		Month of survey						Total	
		Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07		
Valid	Less than 25	Frequency	19	6	9	13	16	11	74
		Percentage	12.4%	3.6%	5.4%	9.1%	9.5%	7.4%	7.8%
	25-30	Frequency	18	24	18	16	12	17	105
		Percentage	11.8%	14.4%	10.7%	11.2%	7.1%	11.4%	11.1%
	31-40	Frequency	37	29	41	26	29	26	188
		Percentage	24.2%	17.4%	24.4%	18.2%	17.3%	17.4%	19.8%
41-50	Frequency	38	49	39	35	43	36	240	
	Percentage	24.8%	29.3%	23.2%	24.5%	25.6%	24.2%	25.3%	
Above 50	Frequency	41	59	61	53	68	59	341	
	Percentage	26.8%	35.3%	36.3%	37.1%	40.5%	39.6%	36.0%	
Valid total	Frequency	153	167	168	143	168	149	948	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	0	0	0	1	0	0	1
	No answer/Refused	Frequency	0	2	0	1	0	1	4
	Missing system	Frequency	3	25	22	18	3	14	85
	Missing total	Frequency	3	27	22	20	3	15	90
Total	Frequency	156	194	190	163	171	164	1038	

Q: Race

(January 2007) Information provided by WHRN and ACS.

(February 2007–June 2007) And which of the following would you say best describes your race or ethnic group?

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Hispanic	Frequency	0	4	7	2	4	2	19
		Percentage	0.0%	2.4%	4.2%	1.4%	2.4%	1.3%	2.0%
	White, not Hispanic	Frequency	128	153	146	133	152	140	852
		Percentage	94.1%	92.2%	88.0%	93.0%	90.5%	94.0%	91.8%
	Black or African American	Frequency	1	0	2	1	0	1	5
		Percentage	0.7%	0.0%	1.2%	0.7%	0.0%	0.7%	0.5%
	American Indian or Alaska Native	Frequency	1	2	3	2	2	2	12
		Percentage	0.7%	1.2%	1.8%	1.4%	1.2%	1.3%	1.3%
	Asian	Frequency	0	1	1	1	1	0	4
		Percentage	0.0%	0.6%	0.6%	0.7%	0.6%	0.0%	0.4%
Other	Frequency	6	6	7	4	9	4	36	
	Percentage	4.4%	3.6%	4.2%	2.8%	5.4%	2.7%	3.9%	
Total	Frequency	136	166	166	143	168	149	928	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	0	1	0	0	0	1	
	No answer/Refused	Frequency	0	2	2	2	0	7	
	Missing system	Frequency	20	25	22	18	3	14	
	Missing total	Frequency	20	28	24	20	3	110	
Total	Frequency	156	194	190	163	171	164	1038	

Q: Income

I am going to read a list of income ranges. Please stop me when you hear the one that best describes your household's total income before taxes for last year.

			Month of survey						Total
			Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	
Valid	Less than \$25,000	Frequency	47	67	43	46	57	46	306
		Percentage	35.3%	42.1%	28.1%	33.3%	37.3%	34.3%	35.2%
	\$25,000 to \$50,000	Frequency	58	50	64	55	48	49	324
		Percentage	43.6%	31.4%	41.8%	39.9%	31.4%	36.6%	37.2%
	\$50,000 to \$75,000	Frequency	22	26	28	18	25	23	142
		Percentage	16.5%	16.4%	18.3%	13.0%	16.3%	17.2%	16.3%
	\$75,000 to \$100,000	Frequency	3	13	11	14	12	10	63
		Percentage	2.3%	8.2%	7.2%	10.1%	7.8%	7.5%	7.2%
	Over \$100,000	Frequency	3	3	7	5	11	6	35
		Percentage	2.3%	1.9%	4.6%	3.6%	7.2%	4.5%	4.0%
Valid total	Frequency	133	159	153	138	153	134	870	
	Percentage	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Missing	Don't know/Not sure	Frequency	5	0	3	1	4	6	19
	No answer/Refused	Frequency	3	10	12	6	11	10	52
	Missing system	Frequency	15	25	22	18	3	14	97
	Missing total	Frequency	23	35	37	25	18	30	168
Total	Frequency	156	194	190	163	171	164	1038	

Appendix B. NRT Data Tables

This appendix provides data on the association between a respondent's use of nicotine replacement therapy (NRT) and each of the key variables. These tables summarize data from January 2007–June 2007 and exclude three-month duplicate respondents (with the exception of the three- and six-month quit rate analyses).

NRT Usage and Quit Rates for Three-Month Enrollees

		NRT		Total
		No	Yes	
Use Tobacco	Frequency	80	198	278
	Percentage	62.0%	41.7%	46.0%
Quit	Frequency	49	277	326
	Percentage	38.0%	58.3%	54.0%
Total	Frequency	129	475	604
	Percentage	100.0%	100.0%	100.0%

NRT Usage and Quit Rates for Six-Month Enrollees

		NRT		Total
		No	Yes	
Use Tobacco	Frequency	47	109	156
	Percentage	60.3%	44.9%	48.6%
Quit	Frequency	31	134	165
	Percentage	39.7%	55.1%	51.4%
Total	Frequency	78	243	321
	Percentage	100.0%	100.0%	100.0%

Q10.

Do you currently smoke or use any spit tobacco (chew or snuff) products?
(If needed: Have you smoked or used spit tobacco in the past seven days?)

		NRT		Total
		No	Yes	
Yes, smoke only	Frequency	107	268	375
	Percentage	54.3%	40.6%	43.8%
Yes, spit only	Frequency	11	11	22
	Percentage	5.6%	1.7%	2.6%
Yes, both	Frequency	2	6	8
	Percentage	1.0%	0.9%	0.9%
No, neither currently	Frequency	77	375	452
	Percentage	39.1%	56.8%	52.7%
Total	Frequency	197	660	857
	Percentage	100.0%	100.0%	100.0%

Q11.

Have you smoked any cigarettes or used other tobacco, even a puff or a pinch, in the last 7 days?

		NRT		Total
		No	Yes	
Yes	Frequency	125	325	450
	Percentage	63.1%	49.2%	52.4%
No	Frequency	73	336	409
	Percentage	36.9%	50.9%	47.6%
Total	Frequency	198	661	859
	Percentage	100.0%	100.0%	100.0%

Q12.

Have you smoked ANY cigarettes or used other tobacco, even a puff or a pinch, in the last 30 days?
(*Asked only of those who answered “no,” “don’t know,” or “no answer” to Q11 [Have you smoked any cigarettes or used other tobacco, even a puff or a pinch, in the last 7 days?].*)

(Those who answered “yes” to question 11, “Have you smoked any cigarettes or used other tobacco, even a puff or a pinch, in the last 7 days,” are included in the analyses.)

		NRT		Total
		No	Yes	
Yes	Frequency	140	392	532
	Percentage	70.7%	59.3%	61.9%
No	Frequency	58	269	327
	Percentage	29.3%	40.7%	38.1%
Total	Frequency	198	661	859
	Percentage	100.0%	100.0%	100.0%

Q83a.

Have you recommended the Wyoming Quit Tobacco Program to members of your family who use tobacco?

		NRT		Total
		No	Yes	
Yes	Frequency	97	390	487
	Percentage	46.9%	58.6%	55.8%
No	Frequency	110	276	386
	Percentage	53.1%	41.4%	44.2%
Total	Frequency	207	666	873
	Percentage	100.0%	100.0%	100.0%

Q83b.

Have you recommended the Wyoming Quit Tobacco Program to friends or coworkers who use tobacco?

		NRT		Total
		No	Yes	
Yes	Frequency	106	506	612
	Percentage	51.2%	76.0%	70.1%
No	Frequency	101	160	261
	Percentage	48.8%	24.0%	29.9%
Total	Frequency	207	666	873
	Percentage	100.0%	100.0%	100.0%

Q83c.

Have you recommended the Wyoming Quit Tobacco Program to other tobacco users?

		NRT		Total
		No	Yes	
Yes	Frequency	60	312	372
	Percentage	29.0%	46.8%	42.6%
No	Frequency	147	354	501
	Percentage	71.0%	53.2%	57.4%
Total	Frequency	207	666	873
	Percentage	100.0%	100.0%	100.0%

Q: Income

I am going to read a list of income ranges. Please stop me when you hear the one that best describes your household's total income before taxes for last year.

		NRT		Total
		No	Yes	
Less than \$25,000	Frequency	67	215	282
	Percentage	35.8%	34.8%	35.1%
\$25,000 - \$50,000	Frequency	60	236	296
	Percentage	32.1%	38.2%	36.8%
\$50,000 - \$75,000	Frequency	25	106	131
	Percentage	13.4%	17.2%	16.3%
\$75,000 - \$100,000	Frequency	23	40	63
	Percentage	12.3%	6.5%	7.8%
Over \$100,000	Frequency	12	20	32
	Percentage	6.4%	3.2%	4.0%
Total	Frequency	187	617	804
	Percentage	100.0%	100.0%	100.0%

Appendix C. Quitline Data Tables

This appendix provides data on the association between a respondent's participation in Quitline and each of the key variables. These tables summarize data from January 2007–June 2007 and exclude three-month duplicate respondents (with the exception of the three- and six-month quit rate analyses).

Quitline Participation and Quit Rates for Three-Month Enrollees

		Quitline		Total
		No	Yes	
Use Tobacco	Frequency	107	171	278
	Percentage	48.4%	44.6%	46.0%
Quit	Frequency	114	212	326
	Percentage	51.6%	55.4%	54.0%
Total	Frequency	221	383	604
	Percentage	100.0%	100.0%	100.0%

Quitline Participation and Quit Rates for Six-Month Enrollees

		Quitline		Total
		No	Yes	
Use Tobacco	Frequency	57	99	156
	Percentage	50.4%	47.6%	48.6%
Quit	Frequency	56	109	165
	Percentage	49.6%	52.4%	51.4%
Total	Frequency	113	208	321
	Percentage	100.0%	100.0%	100.0%

Q10.

Do you currently smoke or use any spit tobacco (chew or snuff) products?
(If needed: Have you smoked or used spit tobacco in the past seven days?)

		Quitline		Total
		No	Yes	
Yes, smoke only	Frequency	144	231	375
	Percentage	46.0%	42.5%	43.8%
Yes, spit only	Frequency	7	15	22
	Percentage	2.2%	2.8%	2.6%
Yes, both	Frequency	2	6	8
	Percentage	0.6%	1.1%	0.9%
No, neither currently	Frequency	160	292	452
	Percentage	51.1%	53.7%	52.7%
Total	Frequency	313	544	857
	Percentage	100.0%	100.0%	100.0%

Q11.

Have you smoked any cigarettes or used other tobacco, even a puff or a pinch, in the last 7 days?

		Quitline		Total
		No	Yes	
Yes	Frequency	168	282	450
	Percentage	53.7%	51.6%	52.4%
No	Frequency	145	264	409
	Percentage	46.3%	48.5%	47.7%
Total	Frequency	313	546	859
	Percentage	100.0%	100.0%	100.0%

Q12.

Have you smoked ANY cigarettes or used other tobacco, even a puff or a pinch, in the last 30 days? (Asked only of those who answered “no,” “don’t know,” or “no answer” to Q11 [Have you smoked any cigarettes or used other tobacco, even a puff or a pinch, in the last 7 days?].)

(Those who answered “yes” to question 11, “Have you smoked any cigarettes or used other tobacco, even a puff or a pinch, in the last 7 days,” are included in the analyses.)

		Quitline		Total
		No	Yes	
Yes	Frequency	199	333	532
	Percentage	63.6%	61.0%	61.9%
No	Frequency	114	213	327
	Percentage	36.4%	39.0%	38.1%
Total	Frequency	313	546	859
	Percentage	100.0%	100.0%	100.0%

Q83a.

Have you recommended the Wyoming Quit Tobacco Program to members of your family who use tobacco?

		Quitline		Total
		No	Yes	
Yes	Frequency	180	307	487
	Percentage	55.6%	55.9%	55.8%
No	Frequency	144	242	386
	Percentage	44.4%	44.1%	44.2%
Total	Frequency	324	549	873
	Percentage	100.0%	100.0%	100.0%

Q83b.

Have you recommended the Wyoming Quit Tobacco Program to friends or coworkers who use tobacco?

		Quitline		Total
		No	Yes	
Yes	Frequency	219	393	612
	Percentage	67.6%	71.6%	70.1%
No	Frequency	105	156	261
	Percentage	32.4%	28.4%	29.9%
Total	Frequency	324	549	873
	Percentage	100.0%	100.0%	100.0%

Q83c.

Have you recommended the Wyoming Quit Tobacco Program to other tobacco users?

		Quitline		Total
		No	Yes	
Yes	Frequency	135	237	372
	Percentage	41.7%	43.2%	42.6%
No	Frequency	189	312	501
	Percentage	58.3%	56.8%	57.4%
Total	Frequency	324	549	873
	Percentage	100.0%	100.0%	100.0%

Q50.

Since you enrolled in the Wyoming Quit Tobacco Program, have you used any of the following non-prescription medications to help you quit?

Read choices ONE AT A TIME; check all that apply.

Nicotine patch

		Quitline		Total
		No	Yes	
Yes	Frequency	79	175	254
	Percentage	25.2%	32.1%	29.6%
No	Frequency	234	371	605
	Percentage	74.8%	67.9%	70.4%
Total	Frequency	313	546	859
	Percentage	100.0%	100.0%	100.0%

Nicotine gum (Nicorette)

		Quitline		Total
		No	Yes	
Yes	Frequency	54	94	148
	Percentage	17.3%	17.2%	17.2%
No	Frequency	259	452	711
	Percentage	82.7%	82.8%	82.8%
Total	Frequency	313	546	859
	Percentage	100.0%	100.0%	100.0%

Nicotine lozenge (Commit)

		Quitline		Total
		No	Yes	
Yes	Frequency	29	69	98
	Percentage	9.3%	12.6%	11.4%
No	Frequency	284	477	761
	Percentage	90.7%	87.4%	88.6%
Total	Frequency	313	546	859
	Percentage	100.0%	100.0%	100.0%

Nasal spray

		Quitline		Total
		No	Yes	
Yes	Frequency	2	3	5
	Percentage	0.6%	0.5%	0.6%
No	Frequency	311	543	854
	Percentage	99.4%	99.5%	99.4%
Total	Frequency	313	546	859
	Percentage	100.0%	100.0%	100.0%

Other (please specify)

		Quitline		Total
		No	Yes	
Yes	Frequency	3	3	6
	Percentage	1.0%	0.5%	0.7%
No	Frequency	310	543	853
	Percentage	99.0%	99.5%	99.3%
Total	Frequency	313	546	859
	Percentage	100.0%	100.0%	100.0%

Q60.

Would you say that the Wyoming Quit Tobacco Program's program coordinator was...

If needed: We'd like to know what things may have helped during your attempt to quit. Would you say the Wyoming Quit Tobacco Program's program coordinator was...

(Asked only of those who answered "free or reduced-price nicotine replacement therapy (or NRT) products" to Q4 [Which of these components of the Wyoming Quit Tobacco Program have you participated in?] AND answered "Albany," "Big Horn," "Laramie," "Natrona," "Park," "Sheridan," or "Sweetwater" to Q3 [In which county in Wyoming do you live?])

		Quitline		Total
		No	Yes	
Not helpful at all	Frequency	3	8	11
	Percentage	2.1%	2.9%	2.6%
Not too helpful	Frequency	3	8	11
	Percentage	2.1%	2.9%	2.6%
Somewhat helpful	Frequency	34	50	84
	Percentage	23.3%	17.9%	19.8%
Very helpful	Frequency	106	213	319
	Percentage	72.6%	76.3%	75.1%
Total	Frequency	146	279	425
	Percentage	100.0%	100.0%	100.0%

Q: Income

I am going to read a list of income ranges. Please stop me when you hear the one that best describes your household's total income before taxes for last year.

		Quitline		Total
		No	Yes	
Less than \$25,000	Frequency	88	194	282
	Percentage	29.2%	38.6%	35.1%
\$25,000 - \$50,000	Frequency	111	185	296
	Percentage	36.9%	36.8%	36.8%
\$50,000 - \$75,000	Frequency	55	76	131
	Percentage	18.3%	15.1%	16.3%
\$75,000 - \$100,000	Frequency	35	28	63
	Percentage	11.6%	5.6%	7.8%
Over \$100,000	Frequency	12	20	32
	Percentage	4.0%	4.0%	4.0%
Total	Frequency	301	503	804
	Percentage	100.0%	100.0%	100.0%