

The 2008 Wyoming Prevention Needs Assessment: State Profile Report

Hot Springs County Appendix

Appendix Table of Contents

1. Survey Participation.....	2
2. Substance Use and Problem Behaviors	4
2.1. 6 th Grade Substance Use and Problem Behavior Rates	4
2.2. 8 th Grade Substance Use and Problem Behavior Rates	9
2.3. 10 th Grade Substance Use and Problem Behavior Rates	14
2.4. 12 th Grade Substance Use and Problem Behavior Rates	19
3. Risk Factor Prevalence Rates	24
3.1. 6 th Grade Risk Factor Results	24
3.2. 8 th Grade Risk Factor Prevalence Rates	28
3.3. 10 th Grade Risk Factor Prevalence Rates	32
3.4. 12 th Grade Risk Factor Prevalence Rates	36
4. Protective Factors Prevalence Rates	40
5. Alcohol in the Community	43
6. Social Norms	49
6.1. Social Norms Results for 6 th Grade	49
6.2. Social Norms Results for 8 th Grade	52
6.3. Social Norms Results for 10 th Grade	55
6.4. Social Norms Results for 12 th Grade	58

Table 2. Response rates by grade, 2008 PNA: Wyoming and Hot Springs County

		Wyoming		Hot Springs	
		Number of Valid Participants	Response Rate	Number of Valid Participants	Response Rate
Grade	6 th	4,926	77%	45	82%
	8 th	5,051	76%	47	94%
	10 th	4,280	60%	41	82%
	12 th	2,936	47%	30	70%
Total		17,193	65%	163	82%

2. Substance Use and Problem Behaviors

2.1. 6th Grade Substance Use and Problem Behavior Rates

Figure 1. Substance use and problem behavior prevalence rate profile, 2008 PNA: Hot Springs County, 6th graders





Figure 2. Lifetime substance use prevalence rates, 2001-2008 PNA: Hot Springs County, 6th graders




¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.


Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 3. Thirty-day substance use prevalence rates, 2001-2008 PNA: Hot Springs County, 6th graders



¹ Meaningful difference between the 2006 and the 2008 prevalence rates.
² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.
 Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Heavy substance use and problem behavior prevalence, 2001-2008 PNA: Hot Springs County, 6th graders



¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.


Table 3. Substance use and problem behavior prevalence rates for Hot Springs County, 6th grade

		Wyoming: 2008		Hot Springs: 2008		Hot Springs: 2006		Hot Springs: 2004		Hot Springs: 2001		Hot Springs: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
Lifetime Use	Alcohol	24%	4762	33%	45	45%	42	34%	38	41%	42	40%	5.5%
	Marijuana	2%	4795	0%	45	0%	42	2%	42	9%	43	4%	4.8%
	LSD and Hallucinogens	0%	4774	2%	43	0%	42	0%	40	0%	44	0%	0.0%
	Cocaine	0%	4797	0%	45	0%	41	0%	42	0%	43	0%	0.0%
	Inhalants	10%	4786	7%	45	12%	42	7%	41	11%	44	10%	2.5%
	Methamphetamines	0%	4791	0%	45	0%	42	---	---	---	---	---	---
	Heroin	0%	4781	0%	44	0%	41	0%	38	0%	43	0%	0.0%
	Ecstasy	0%	4747	0%	43	0%	42	0%	37	2%	43	1%	1.3%
	Steroids	2%	4776	0%	45	0%	42	5%	39	0%	44	2%	3.0%
	Chewing Tobacco	3%	4754	4%	45	8%	39	13%	40	21%	44	14%	6.4%
	Cigarettes	12%	4739	13%	45	20%	41	22%	41	25%	44	22%	2.7%
	Misuse of OTC Meds*	1%	4777	0%	45	---	---	---	---	---	---	---	---
Misuse of Rx Meds**	1%	4780	0%	44	---	---	---	---	---	---	---	---	
Past 30 Day Use	Alcohol	6%	4790	18%	45	10%	42	10%	42	14%	44	11%	2.4%
	Marijuana	1%	4797	0%	45	0%	42	0%	42	2%	42	1%	1.4%
	LSD and Hallucinogens	0%	4774	2%	43	0%	42	0%	40	0%	44	0%	0.0%
	Cocaine	0%	4786	0%	45	0%	42	0%	42	0%	44	0%	0.0%
	Inhalants	4%	4787	2%	45	0%	42	2%	43	2%	44	2%	1.3%
	Methamphetamines	0%	4789	0%	45	0%	42	---	---	---	---	---	---
	Heroin	0%	4782	0%	44	0%	41	3%	39	0%	43	1%	1.5%
	Ecstasy	0%	4744	0%	43	0%	42	0%	38	2%	44	1%	1.3%
	Steroids	0%	4774	0%	45	0%	42	3%	40	0%	44	1%	1.4%
	Chewing Tobacco	1%	4745	0%	45	2%	41	5%	41	2%	44	3%	1.5%
	Cigarettes	2%	4746	4%	45	2%	41	2%	41	2%	44	2%	0.1%
	Misuse of OTC Meds*	1%	4785	0%	45	---	---	---	---	---	---	---	---
Misuse of Rx Meds**	0%	4773	0%	44	---	---	---	---	---	---	---	---	
Heavy Use	Binge Drinking	4%	4755	4%	45	5%	39	7%	42	7%	44	6%	1.1%
	Half Pack of Cig./Day	0%	4746	0%	45	0%	41	2%	41	0%	44	1%	1.4%
Problem Behavior	Suspended from School	6%	4854	0%	45	3%	40	2%	44	7%	44	4%	2.6%
	Drunk or High at School	2%	4841	0%	45	0%	40	10%	42	2%	44	4%	5.0%
	Sold Drugs	0%	4844	0%	45	0%	40	2%	43	0%	44	1%	1.3%
	Attempted Vehicle Theft	1%	4848	0%	45	0%	40	0%	43	0%	44	0%	0.0%
	Arrested	2%	4847	0%	45	0%	40	4%	45	5%	44	3%	2.6%
	Attacked Someone	7%	4841	4%	45	13%	40	7%	41	2%	44	7%	5.1%
Brought a Gun to School	0%	4836	0%	45	0%	40	0%	44	0%	43	0%	0.0%	

E Á Ú c ~ á ^ } c • Á , ^ ! ^ Á æ • \ ^ á Ê Á Ä U } Á @ [, Á { æ } ^ Á [& & æ • ä [] • Á ö Á @æç ^ Á ^ [~ Á ~ • ^ á Á ö Á æ Á { ^ á
E E Á Ú c ~ á ^ } c • Á , ^ ! ^ Á æ • \ ^ á Ê Á Ä U } Á @ [, Á { æ } ^ Á [& & æ • ä [] • Á ö Á @æç ^ Á ^ [~ Á ~ • ^ á Á ö Á æ Á } ;


2.2. 8th Grade Substance Use and Problem Behavior Rates

Figure 4. Substance use and problem behavior prevalence rate profile, 2008 PNA: Hot Springs County, 8th graders



Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 5. Lifetime substance use prevalence rates, 2001-2008 PNA: Hot Springs County, 8th graders




¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.

Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 6. Thirty-day substance use prevalence rates, 2001-2008 PNA: Hot Springs County 8th graders




¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.

Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 7. Heavy substance use and problem behavior prevalence, 2001-2008 PNA: Hot Springs County, 8th graders



¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.


Table 4. Substance use and problem behavior prevalence rates for Hot Springs County, 8th graders

		Wyoming: 2008		Hot Springs: 2008		Hot Springs: 2006		Hot Springs: 2004		Hot Springs: 2001		Hot Springs: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
Lifetime Use	Alcohol	51%	4930	54%	46	56%	43	59%	22	61%	59	59%	2.6%
	Marijuana	14%	4922	4%	46	27%	44	9%	22	14%	58	17%	9.4%
	LSD and Hallucinogens	2%	4942	0%	46	2%	44	0%	22	0%	59	1%	1.3%
	Cocaine	2%	4947	0%	46	2%	44	0%	22	0%	59	1%	1.3%
	Inhalants	18%	4946	11%	46	27%	44	20%	20	9%	59	17%	9.5%
	Methamphetamines	1%	4945	0%	45	0%	44	---	---	---	---	---	---
	Heroin	1%	4949	0%	46	0%	44	0%	21	2%	59	1%	1.0%
	Ecstasy	2%	4935	0%	46	2%	44	0%	22	3%	59	2%	1.7%
	Steroids	3%	4944	2%	46	5%	44	0%	21	0%	59	1%	2.6%
	Chewing Tobacco	11%	4892	17%	46	23%	44	30%	23	21%	58	24%	5.1%
	Cigarettes	28%	4885	24%	46	37%	43	35%	23	39%	59	37%	2.1%
	Misuse of OTC Meds*	6%	4936	2%	45	---	---	---	---	---	---	---	---
Misuse of Rx Meds**	5%	4940	2%	46	---	---	---	---	---	---	---	---	
Past 30 Day Use	Alcohol	23%	4924	13%	46	33%	42	18%	22	22%	59	25%	7.9%
	Marijuana	6%	4932	0%	45	7%	44	0%	22	2%	59	3%	3.5%
	LSD and Hallucinogens	1%	4942	0%	46	0%	44	0%	22	0%	59	0%	0.0%
	Cocaine	1%	4936	0%	45	0%	44	0%	22	0%	59	0%	0.0%
	Inhalants	8%	4940	4%	45	5%	44	0%	22	3%	58	3%	2.4%
	Methamphetamines	0%	4942	0%	45	0%	44	---	---	---	---	---	---
	Heroin	0%	4944	0%	45	0%	44	0%	22	0%	59	0%	0.0%
	Ecstasy	1%	4926	0%	45	0%	44	0%	22	0%	59	0%	0.0%
	Steroids	1%	4933	0%	45	2%	44	0%	22	0%	58	1%	1.3%
	Chewing Tobacco	5%	4896	9%	45	9%	43	17%	23	3%	59	9%	7.0%
	Cigarettes	9%	4884	4%	45	7%	43	4%	23	12%	59	8%	3.8%
	Misuse of OTC Meds*	3%	4940	0%	45	---	---	---	---	---	---	---	---
Misuse of Rx Meds**	2%	4933	0%	45	---	---	---	---	---	---	---	---	
Heavy Use	Binge Drinking	14%	4910	11%	46	21%	44	5%	22	19%	58	16%	8.8%
	Half Pack of Cig./Day	1%	4884	0%	45	0%	43	0%	23	3%	59	2%	2.0%
Problem Behavior	Suspended from School	11%	4981	6%	47	2%	44	3%	31	10%	59	6%	4.3%
	Drunk or High at School	10%	4974	6%	47	11%	44	0%	30	12%	58	8%	6.8%
	Sold Drugs	3%	4974	0%	47	2%	44	0%	31	3%	59	2%	1.7%
	Attempted Vehicle Theft	4%	4978	0%	47	0%	44	3%	31	2%	59	2%	1.6%
	Arrested	5%	4973	6%	47	2%	44	0%	31	12%	59	5%	6.3%
	Attacked Someone	11%	4975	11%	47	9%	44	3%	30	12%	59	8%	4.4%
Brought a Gun to School	1%	4966	0%	47	0%	43	0%	29	3%	58	1%	2.0%	

E Á Ú c ~ á ^ } c • Á , ^ ! ^ Á æ • \ ^ á Ê Á Ä U } Á @ [, Á { æ } ^ Á [& & æ • ä [] • Á ö Á @æç ^ Á ^ [~ Á ~ • ^ á Á ö Á æ Á { ^ á
E E Á Ú c ~ á ^ } c • Á , ^ ! ^ Á æ • \ ^ á Ê Á Ä U } Á @ [, Á { æ } ^ Á [& & æ • ä [] • Á ö Á @æç ^ Á ^ [~ Á ~ • ^ á Á ö Á æ Á } ;


2.3. 10th Grade Substance Use and Problem Behavior Rates

Figure 8. Substance use and problem behavior prevalence rate profile, 2008 PNA: Hot Springs County, 10th graders



Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 9. Lifetime substance use prevalence rates, 2001-2008 PNA: Hot Springs County, 10th graders




¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.

Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 10. Thirty-day substance use prevalence rates, 2001-2008 PNA: Hot Springs County, 10th graders




¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.

Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 11. Heavy substance use and problem behavior prevalence, 2001-2008 PNA: Hot Springs County, 10th graders



¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.


Table 5. Substance use and problem behavior prevalence rates for Hot Springs County, 10th grade

		Wyoming: 2008		Hot Springs: 2008		Hot Springs: 2006		Hot Springs: 2004		Hot Springs: 2001		Hot Springs: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
Lifetime Use	Alcohol	69%	4181	72%	39	64%	28	83%	47	53%	47	67%	15.1%
	Marijuana	33%	4169	29%	38	21%	28	18%	51	13%	47	17%	4.3%
	LSD and Hallucinogens	5%	4193	8%	39	4%	28	2%	51	2%	47	2%	0.9%
	Cocaine	4%	4191	5%	39	4%	28	0%	51	0%	47	1%	2.1%
	Inhalants	17%	4192	31%	39	36%	28	6%	51	13%	47	16%	15.6%
	Methamphetamines	2%	4192	0%	39	4%	28	---	---	---	---	---	---
	Heroin	2%	4195	0%	39	0%	28	0%	50	0%	47	0%	0.0%
	Ecstasy	5%	4191	0%	39	0%	28	2%	51	2%	47	2%	1.2%
	Steroids	3%	4194	0%	39	4%	28	2%	50	0%	47	2%	1.8%
	Chewing Tobacco	23%	4159	40%	40	32%	28	37%	51	20%	46	29%	9.1%
	Cigarettes	43%	4160	53%	40	46%	28	55%	51	32%	47	44%	11.6%
	Misuse of OTC Meds*	12%	4189	23%	39	---	---	---	---	---	---	---	---
Misuse of Rx Meds**	14%	4189	15%	39	---	---	---	---	---	---	---	---	
Past 30 Day Use	Alcohol	38%	4163	33%	39	36%	28	49%	51	26%	46	37%	11.5%
	Marijuana	14%	4168	10%	39	4%	28	8%	51	7%	46	6%	2.2%
	LSD and Hallucinogens	1%	4191	0%	39	0%	28	0%	50	2%	47	1%	1.2%
	Cocaine	1%	4187	3%	39	0%	28	0%	50	0%	47	0%	0.0%
	Inhalants	4%	4188	3%	39	11%	28	2%	50	2%	47	4%	5.0%
	Methamphetamines	1%	4187	0%	39	0%	28	---	---	---	---	---	---
	Heroin	1%	4186	0%	38	0%	28	0%	48	0%	47	0%	0.0%
	Ecstasy	1%	4190	0%	39	0%	28	2%	49	0%	47	1%	1.2%
	Steroids	1%	4177	0%	39	4%	28	0%	50	0%	47	1%	2.1%
	Chewing Tobacco	12%	4161	18%	40	18%	28	18%	51	11%	47	15%	4.1%
	Cigarettes	19%	4155	23%	40	4%	28	14%	51	9%	47	9%	5.1%
	Misuse of OTC Meds*	4%	4186	5%	39	---	---	---	---	---	---	---	---
Misuse of Rx Meds**	6%	4190	5%	39	---	---	---	---	---	---	---	---	
Heavy Use	Binge Drinking	23%	4166	18%	40	36%	28	35%	51	23%	47	31%	7.0%
	Half Pack of Cig./Day	5%	4155	5%	40	4%	28	2%	51	4%	47	3%	1.2%
Problem Behavior	Suspended from School	10%	4230	18%	40	7%	28	2%	51	0%	47	3%	3.7%
	Drunk or High at School	21%	4229	25%	40	4%	28	4%	51	21%	47	10%	10.1%
	Sold Drugs	8%	4226	3%	40	0%	28	2%	51	4%	47	2%	2.1%
	Attempted Vehicle Theft	3%	4230	3%	40	4%	28	2%	51	13%	47	6%	5.8%
	Arrested	6%	4228	5%	39	4%	28	0%	51	2%	47	2%	1.8%
	Attacked Someone	11%	4226	13%	40	18%	28	6%	51	17%	47	13%	6.7%
Brought a Gun to School	2%	4218	0%	40	7%	28	0%	51	4%	47	3%	3.6%	

E Á Ú c ~ á ^ } c • Á , ^ ! ^ Á æ • \ ^ á Ê Á Ä U } Á @ [, Á { æ } ^ Á [& & æ • á [] • Á ö Á @ æ ç ^ Á ^ [~ Á ~ • ^ á Á ö Á æ Á { ^ á E Ê Á Ú c ~ á ^ } c • Á , ^ ! ^ Á æ • \ ^ á Ê Á Ä U } Á @ [, Á { æ } ^ Á [& & æ • á [] • Á ö Á @ æ ç ^ Á ^ [~ Á ~ • ^ á Á ö Á æ Á] !


2.4. 12th Grade Substance Use and Problem Behavior Rates

Figure 12. Substance use and problem behavior prevalence rate profile, 2008 PNA: Hot Springs County, 12th graders



Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 13. Lifetime substance use prevalence rates, 2001-2008 PNA: Hot Springs County 12th graders




¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.

Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 14. Thirty-day substance use prevalence, 2001-2008 PNA: Hot Springs County, 12th graders




¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.

Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 15. Heavy substance use and problem behavior prevalence, 2001-2008 PNA: Hot Springs County, 12th graders



¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.

Table 6. Substance use and problem behavior prevalence rates for Hot Springs County, 12th grade

		Wyoming: 2008		Hot Springs: 2008		Hot Springs: 2006		Hot Springs: 2004		Hot Springs: 2001		Hot Springs: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
Lifetime Use	Alcohol	77%	2850	90%	30	89%	46	67%	39	74%	62	76%	11.4%
	Marijuana	42%	2840	41%	29	39%	46	17%	42	25%	63	27%	11.3%
	LSD and Hallucinogens	6%	2847	7%	28	4%	46	5%	42	2%	63	3%	1.7%
	Cocaine	8%	2850	10%	29	9%	46	5%	42	5%	63	6%	2.3%
	Inhalants	12%	2855	21%	29	16%	45	2%	42	14%	63	11%	7.3%
	Methamphetamines	3%	2854	3%	29	4%	46	---	---	---	---	---	---
	Heroin	3%	2852	7%	29	2%	46	0%	42	2%	63	1%	1.1%
	Ecstasy	6%	2851	7%	29	4%	46	2%	42	6%	63	4%	2.0%
	Steroids	3%	2853	0%	29	2%	46	2%	42	5%	62	3%	1.5%
	Chewing Tobacco	29%	2850	53%	30	48%	46	24%	42	37%	62	36%	12.0%
	Cigarettes	49%	2845	66%	29	65%	46	36%	42	51%	63	50%	14.8%
	Misuse of OTC Meds*	12%	2851	24%	29	---	---	---	---	---	---	---	---
	Misuse of Rx Meds**	15%	2853	31%	29	---	---	---	---	---	---	---	---
Past 30 Day Use	Alcohol	47%	2833	45%	29	57%	46	43%	42	38%	63	45%	9.6%
	Marijuana	16%	2835	7%	29	17%	46	7%	42	3%	63	9%	7.3%
	LSD and Hallucinogens	2%	2849	0%	29	0%	46	0%	42	0%	63	0%	0.0%
	Cocaine	2%	2849	3%	30	0%	46	0%	42	0%	61	0%	0.0%
	Inhalants	2%	2853	0%	29	2%	46	0%	42	3%	63	2%	1.6%
	Methamphetamines	1%	2849	0%	29	0%	46	---	---	---	---	---	---
	Heroin	1%	2846	0%	29	0%	46	0%	41	0%	63	0%	0.0%
	Ecstasy	1%	2849	0%	29	0%	46	0%	42	2%	63	1%	0.9%
	Steroids	1%	2843	0%	29	0%	46	0%	42	3%	62	1%	1.9%
	Chewing Tobacco	15%	2850	24%	29	33%	46	10%	42	14%	63	18%	12.2%
	Cigarettes	25%	2847	24%	29	28%	46	19%	42	16%	63	21%	6.4%
	Misuse of OTC Meds*	4%	2851	0%	29	---	---	---	---	---	---	---	---
	Misuse of Rx Meds**	6%	2848	3%	29	---	---	---	---	---	---	---	---
Heavy Use	Binge Drinking	33%	2849	28%	29	44%	46	31%	42	26%	62	33%	9.1%
	Half Pack of Cig./Day	9%	2847	3%	29	11%	46	12%	42	5%	63	9%	3.9%
Problem Behavior	Suspended from School	8%	2893	20%	30	9%	46	5%	42	3%	63	5%	2.8%
	Drunk or High at School	22%	2888	13%	30	28%	46	14%	42	21%	63	21%	7.0%
	Sold Drugs	8%	2890	3%	30	11%	46	5%	41	10%	63	8%	3.1%
	Attempted Vehicle Theft	2%	2889	0%	29	0%	46	7%	42	3%	63	4%	3.6%
	Arrested	6%	2890	10%	30	11%	46	7%	41	8%	63	9%	1.9%
	Attacked Someone	8%	2886	7%	29	11%	46	10%	42	22%	63	15%	7.0%
	Brought a Gun to School	2%	2882	3%	30	0%	46	0%	42	2%	63	1%	0.9%

E Á Úc ~ á ^ } c • Á , ^ | ^ Á æ • \ ^ á Ê Á Ä U } Á @ [, Á { æ } ^ Á [& & æ • ä [] • Á ö Á @æç ^ Á ^ [~ Á ~ • ^ á Á ö Á æ Á { ^ á
E E Á Úc ~ á ^ } c • Á , ^ | ^ Á æ • \ ^ á Ê Á Ä U } Á @ [, Á { æ } ^ Á [& & æ • ä [] • Á ö Á @æç ^ Á ^ [~ Á ~ • ^ á Á ö Á æ Á } ;

3. Risk Factor Prevalence Rates

3.1. 6th Grade Risk Factor Results

Figure 16. Risk Factor profile, 2008 PNA: Hot Springs County, 6th graders






Figure 17. At-risk youth by Community, Family and School Domains, 2001-2008 PNA percentages: Hot Springs County, 6th graders



¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.

Figure 18. At-risk youth, Peer/Individual Domain, 2001-2008 PNA percentages: Hot Springs County, 6th graders



¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.

Table 7. Percent of students in Hot Springs County classified as at-risk, 6th grade

		Wyoming: 2008		Hot Springs: 2008		Hot Springs: 2006		Hot Springs: 2004		Hot Springs: 2001		Hot Springs: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
		Community	Community Disorganization	34%	4545	40%	42	24%	42	39%	39	28%	43
	Laws and Norms Favoring Drug Use	46%	4633	53%	43	39%	41	51%	39	50%	44	47%	6.7%
	Perceived Availability of Drugs	29%	4616	32%	41	34%	41	36%	39	27%	44	32%	4.6%
Family	Poor Family Management	31%	4629	39%	44	38%	42	47%	34	44%	43	43%	4.6%
	Parents' Favorable Attitude toward Antisocial Behavior	32%	4592	43%	44	45%	42	54%	37	25%	44	41%	14.9%
	Parents' Favorable Attitude toward Drug Use	14%	4598	25%	44	21%	42	27%	37	18%	44	22%	4.5%
School	Low Commitment to School	43%	4859	69%	45	63%	41	73%	45	47%	43	61%	13.6%
Peer/ Individual	Rebelliousness	46%	4828	49%	45	44%	41	---	---	---	---	---	---
	Early Initiation of Antisocial Behavior	20%	4838	7%	45	24%	41	21%	42	26%	43	24%	2.1%
	Early Initiation of Drug Use	30%	4838	36%	45	42%	41	43%	42	48%	44	44%	3.3%
	Favorable Attitude toward Antisocial Behavior	37%	4864	50%	44	68%	41	56%	43	39%	44	54%	14.9%
	Favorable Attitude toward Drug Use	14%	4861	27%	44	37%	41	30%	44	28%	43	31%	4.6%
	Intent to Use	14%	4784	20%	44	27%	41	---	---	---	---	---	---
	Perceived Risk and Harm of Drug Use	26%	4750	30%	43	34%	41	21%	42	36%	44	31%	8.1%
	Interaction with Antisocial Peers	30%	4830	26%	43	28%	40	29%	42	37%	43	31%	5.3%
	Friends' Use of Drugs	25%	4826	21%	43	33%	40	45%	42	41%	42	39%	6.4%
	Sensation Seeking	47%	4808	49%	45	53%	38	56%	43	40%	43	49%	8.6%
	Rewards for Antisocial Behavior	23%	4797	37%	43	53%	40	29%	42	25%	44	35%	15.0%
Depressive Symptoms	33%	4784	32%	44	51%	41	58%	43	36%	44	48%	11.1%	

3.2. 8th Grade Risk Factor Prevalence Rates

Figure 19. Risk Factor profile, 2008 PNA: Hot Springs County, 8th graders






Figure 20. At-risk youth by Community, Family and School Domains, 2001-2008 PNA percentages: Hot Springs County, 8th graders



¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.

Figure 21. At-risk youth, Peer/Individual Domain, 2001-2008 PNA percentages: Hot Springs County, 8th graders



¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.

Table 8. Percent of students in Hot Springs County classified as at-risk, 8th graders

		Wyoming: 2008		Hot Springs: 2008		Hot Springs: 2006		Hot Springs: 2004		Hot Springs: 2001		Hot Springs: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
		Community	Community Disorganization	28%	4750	20%	46	30%	43	17%	18	34%	59
	Laws and Norms Favoring Drug Use	40%	4815	40%	45	49%	43	19%	21	40%	57	38%	15.3%
	Perceived Availability of Drugs	36%	4821	23%	43	50%	42	33%	21	47%	58	44%	8.8%
Family	Poor Family Management	37%	4799	35%	46	37%	43	47%	19	41%	59	41%	5.2%
	Parents' Favorable Attitude toward Antisocial Behavior	47%	4776	48%	46	56%	43	39%	18	49%	59	49%	8.5%
	Parents' Favorable Attitude toward Drug Use	33%	4777	41%	46	47%	43	33%	18	27%	59	35%	9.9%
School	Low Commitment to School	41%	4998	51%	47	59%	44	36%	31	42%	59	45%	12.1%
Peer/ Individual	Rebelliousness	34%	4986	24%	46	25%	44	---	---	---	---	---	---
	Early Initiation of Antisocial Behavior	31%	4981	34%	47	32%	44	20%	30	37%	59	30%	8.8%
	Early Initiation of Drug Use	33%	4968	23%	47	43%	44	39%	31	39%	59	40%	2.5%
	Favorable Attitude toward Antisocial Behavior	39%	4994	28%	47	52%	44	23%	31	44%	59	40%	15.3%
	Favorable Attitude toward Drug Use	27%	4992	21%	47	32%	44	13%	30	29%	59	25%	9.9%
	Intent to Use	18%	4953	9%	46	23%	44	---	---	---	---	---	---
	Perceived Risk and Harm of Drug Use	38%	4925	33%	46	39%	44	43%	21	37%	59	39%	2.9%
	Interaction with Antisocial Peers	44%	4970	34%	47	43%	44	37%	30	47%	57	43%	5.4%
	Friends' Use of Drugs	37%	4970	30%	47	57%	44	55%	31	39%	57	49%	10.0%
	Sensation Seeking	48%	4952	62%	47	56%	43	52%	31	44%	59	50%	6.0%
	Rewards for Antisocial Behavior	44%	4954	24%	45	52%	44	63%	30	33%	58	48%	15.5%
Depressive Symptoms	38%	4951	41%	46	39%	44	38%	24	34%	59	36%	2.5%	

3.3. 10th Grade Risk Factor Prevalence Rates

Figure 22. Risk Factor profile, 2008 PNA: Hot Springs County, 10th graders






Figure 23. At-risk youth by Community, Family and School Domains, 2001-2008 PNA percentages: Hot Springs County, 10th graders



¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.

Figure 24. At-risk youth, Peer/Individual Domain, 2001-2008 PNA percentages: Hot Springs County, 10th graders



¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.

Table 9. Percent of students in Hot Springs County classified as at-risk, 10th grade

		Wyoming: 2008		Hot Springs: 2008		Hot Springs: 2006		Hot Springs: 2004		Hot Springs: 2001		Hot Springs: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
		Community	Community Disorganization	37%	4063	28%	39	26%	27	24%	50	47%	47
	Laws and Norms Favoring Drug Use	47%	4111	44%	39	48%	25	35%	49	46%	46	42%	7.1%
	Perceived Availability of Drugs	46%	4123	44%	39	56%	27	40%	50	47%	47	46%	7.8%
Family	Poor Family Management	35%	4090	38%	40	44%	25	33%	51	34%	47	36%	6.0%
	Parents' Favorable Attitude toward Antisocial Behavior	50%	4084	50%	40	50%	26	45%	51	45%	47	46%	3.0%
	Parents' Favorable Attitude toward Drug Use	46%	4085	50%	40	42%	26	55%	51	30%	47	42%	12.6%
School	Low Commitment to School	44%	4249	56%	39	54%	28	35%	51	36%	47	40%	10.3%
Peer/ Individual	Rebelliousness	37%	4230	28%	40	39%	28	---	---	---	---	---	---
	Early Initiation of Antisocial Behavior	37%	4236	38%	39	50%	28	18%	51	36%	47	33%	16.2%
	Early Initiation of Drug Use	36%	4236	40%	40	46%	28	35%	51	34%	47	38%	6.8%
	Favorable Attitude toward Antisocial Behavior	48%	4244	48%	40	61%	28	59%	51	48%	46	55%	7.0%
	Favorable Attitude toward Drug Use	37%	4244	30%	40	39%	28	41%	51	28%	47	36%	7.3%
	Intent to Use	28%	4192	24%	38	18%	28	---	---	---	---	---	---
	Perceived Risk and Harm of Drug Use	41%	4193	47%	38	39%	28	29%	49	30%	47	32%	5.9%
	Interaction with Antisocial Peers	50%	4227	48%	40	57%	28	47%	51	51%	47	51%	5.1%
	Friends' Use of Drugs	40%	4227	43%	40	50%	28	41%	51	34%	47	41%	8.0%
	Sensation Seeking	49%	4202	40%	40	61%	28	49%	51	51%	47	53%	6.2%
	Rewards for Antisocial Behavior	45%	4223	50%	40	43%	28	31%	51	35%	46	36%	5.9%
Depressive Symptoms	38%	4202	33%	39	39%	28	35%	51	32%	47	35%	3.7%	

3.4. 12th Grade Risk Factor Prevalence Rates

Figure 25. Risk Factor profile, 2008 PNA: Hot Springs County, 12th graders






Figure 26. At-risk youth by Community, Family And School Domains, 2001-2008 PNA percentages: Hot Springs County, 12th graders



¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.

Figure 27. At-risk youth, Peer/Individual Domain, 2001-2008 PNA percentages: Hot Springs County, 12 graders



¹ Meaningful difference between the 2006 and the 2008 prevalence rates.

² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.

Table 10. Percent of students in Hot Springs County classified as at-risk, 12th grade

		Wyoming: 2008		Hot Springs: 2008		Hot Springs: 2006		Hot Springs: 2004		Hot Springs: 2001		Hot Springs: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
		Community	Community Disorganization	34%	2794	28%	29	37%	46	22%	41	46%	63
	Laws and Norms Favoring Drug Use	42%	2821	23%	30	41%	46	29%	41	43%	63	38%	7.4%
	Perceived Availability of Drugs	42%	2835	27%	30	44%	46	32%	41	43%	63	39%	6.6%
Family	Poor Family Management	33%	2816	33%	30	50%	46	33%	39	32%	62	38%	9.9%
	Parents' Favorable Attitude toward Antisocial Behavior	32%	2804	23%	30	30%	46	18%	40	40%	62	30%	11.4%
	Parents' Favorable Attitude toward Drug Use	59%	2805	50%	30	65%	46	53%	40	40%	62	52%	12.4%
School	Low Commitment to School	42%	2908	53%	30	50%	46	48%	42	47%	62	48%	1.7%
Peer/ Individual	Rebelliousness	34%	2882	33%	30	35%	46	---	---	---	---	---	---
	Early Initiation of Antisocial Behavior	35%	2884	40%	30	35%	46	26%	42	40%	63	34%	6.8%
	Early Initiation of Drug Use	34%	2885	43%	30	39%	46	26%	42	38%	63	35%	7.2%
	Favorable Attitude toward Antisocial Behavior	44%	2898	40%	30	57%	46	55%	42	52%	63	54%	2.1%
	Favorable Attitude toward Drug Use	35%	2899	33%	30	52%	46	26%	42	27%	63	34%	14.8%
	Intent to Use	32%	2870	27%	30	37%	46	---	---	---	---	---	---
	Perceived Risk and Harm of Drug Use	49%	2860	47%	30	56%	45	38%	42	44%	63	46%	8.8%
	Interaction with Antisocial Peers	51%	2900	57%	30	59%	46	45%	42	51%	63	51%	6.8%
	Friends' Use of Drugs	36%	2899	33%	30	39%	46	21%	42	30%	63	30%	8.9%
	Sensation Seeking	51%	2875	60%	30	67%	46	49%	41	56%	63	57%	9.4%
	Rewards for Antisocial Behavior	58%	2898	53%	30	71%	44	64%	42	44%	63	58%	13.6%
Depressive Symptoms	30%	2865	38%	29	28%	46	34%	41	24%	63	28%	5.2%	

4. Protective Factors Prevalence Rates

Figure 28. Protective Factor profile, 2008 PNA: Hot Springs County, all grade levels





Figure 29. Protective Factor prevalence rates, 2001-2008 PNA: Hot Springs County, by grades surveyed



¹ Meaningful difference between the 2006 and the 2008 prevalence rates.


² Meaningful difference between the 2008 prevalence rate and the average prevalence rate from 2001 to 2006.

Table 11. Percent of students in Hot Springs County Classified as at-high-protection by grade level

		Wyoming: 2008		Hot Springs: 2008		Hot Springs: 2006		Hot Springs: 2004		Hot Springs: 2001		Hot Springs: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
6 th Grade	Religiosity	54%	4743	65%	43	63%	41	77%	43	68%	44	69%	6.8%
	Social Skills	73%	4799	67%	45	48%	42	74%	43	66%	44	62%	13.7%
	Belief in a Moral Order	69%	4776	55%	44	51%	41	55%	42	52%	44	53%	1.8%
8 th Grade	Religiosity	51%	4936	58%	45	57%	42	57%	30	66%	58	60%	5.0%
	Social Skills	61%	4945	59%	46	64%	44	65%	31	66%	59	65%	1.2%
	Belief in a Moral Order	65%	4948	70%	46	55%	44	73%	22	71%	59	66%	10.1%
10 th Grade	Religiosity	43%	4200	51%	39	39%	28	51%	51	70%	47	55%	15.6%
	Social Skills	53%	4207	61%	41	54%	28	61%	51	47%	47	54%	7.0%
	Belief in a Moral Order	70%	4204	62%	39	61%	28	71%	51	68%	47	67%	5.1%
12 th Grade	Religiosity	65%	2890	50%	30	67%	45	81%	42	86%	63	79%	9.9%
	Social Skills	63%	2876	63%	30	41%	46	62%	42	60%	63	55%	11.5%
	Belief in a Moral Order	61%	2863	69%	29	44%	46	51%	41	60%	63	52%	8.4%


5. Alcohol in the Community

Figure 30. Source of alcohol for last drink (for those reporting use), by grade level: 2008 PNA, Hot Springs County



* Values do not sum to 100% due to rounding error.

Figure 31. Type of alcohol most often consumed by those students reporting use, by grade level: 2008 PNA, Hot Springs County



* Values do not sum to 100% due to rounding error

Figure 32. Locations reported where 6th Grade students in Hot Springs County consumed alcohol during the past 12 months: 2008 PNA




Figure 33. Locations reported where 8th grade students in Hot Springs County consumed alcohol during the past 12 months: 2008 PNA




Figure 34. Locations reported where 10th grade students in Hot Springs County consumed alcohol during the past 12 months: 2008 PNA




Figure 35. Locations reported where 12th grade students in Hot Springs County consumed alcohol during the past 12 months: 2008 PNA








Figure 36. 30-day alcohol use- high, medium, and low risk percentages based on Risk Factor models: 2008 PNA, Hot Springs County students by grade



* Values do not sum to 100% due to rounding error

Table 12. Attended events where alcohol was involved: 2008 PNA, percentage of students reporting by grade

	6th Grade		8th Grade		10th Grade		12th Grade	
	Wyoming	Hot Springs	Wyoming	Hot Springs	Wyoming	Hot Springs	Wyoming	Hot Springs
Attended a gathering where large amounts of alcohol were available	28%	30%	46%	36%	60%	59%	69%	77%
Attended a community event where adults were drinking	58%	61%	70%	65%	76%	70%	79%	87%
Attended a community event where alcohol was being sold	42%	39%	61%	56%	70%	66%	74%	77%
Attended a community event where adults were drunk or intoxicated	26%	20%	49%	44%	64%	60%	70%	77%

Table 13. Students who reported they knew an adult who had gotten drunk; and percentage of students who reported they received a minor in possession charge: 2008 PNA, percentage, by grade


	6th Grade		8th Grade		10th Grade		12th Grade	
	Wyoming	Hot Springs	Wyoming	Hot Springs	Wyoming	Hot Springs	Wyoming	Hot Springs
Personally known an adult who in the past 12 months has gotten drunk	61%	70%	75%	78%	83%	85%	86%	87%
Received a Minor in Possession Charge for Alcohol in the past 12 months	1%	0%	2%	0%	4%	5%	9%	7%

6. Social Norms


6.1. Social Norms Results for 6th Grade

Figure 37. Alcohol use and binge drinking perception of use *by most students* compared to actual use: Hot Springs County, 6th graders

30-Day Use of Alcohol




Two Week Binge Drinking




* Values do not sum to 100% due to rounding error

Figure 38. Cigarettes and chewing tobacco, perception of use *by most students* compared to actual use: Hot Springs County, 6th graders

30-Day Use of Cigarettes






30-Day Use of Chewing Tobacco



* Values do not sum to 100% due to rounding error

Figure 39. Marijuana, methamphetamines and illegal drugs, perception of use *by most students* compared to actual use: Hot Springs County, 6th graders




* Values do not sum to 100% due to rounding error


6.2. Social Norms Results for 8th Grade

Figure 40. Alcohol use, and binge drinking perception of use *by most students* compared to actual use: Hot Springs County, 8th graders

30-Day Use of Alcohol




Two Week Binge Drinking




* Values do not sum to 100% due to rounding error

Figure 41. Cigarettes and chewing tobacco, perception of use *by most students* compared to actual use: Hot Springs County, 8th grade

30-Day Use of Cigarettes






30-Day Use of Chewing Tobacco



* Values do not sum to 100% due to rounding error

Figure 42. Marijuana, methamphetamines and illegal drugs, perception of use by most students compared to actual use: Hot Springs County, 8th graders




* Values do not sum to 100% due to rounding error


6.3. Social Norms Results for 10th Grade

Figure 43. Alcohol use, and binge drinking perception of use *by most students* compared to actual use: Hot Springs County, 10th graders

30-Day Use of Alcohol




Two Week Binge Drinking




* Values do not sum to 100% due to rounding error

Figure 44. Cigarettes and chewing tobacco, perception of use *by most students* compared to actual use: Hot Springs County, 10th Grade

30-Day Use of Cigarettes






30-Day Use of Chewing Tobacco



* Values do not sum to 100% due to rounding error

Figure 45. Marijuana, methamphetamines and illegal drugs, perception of use *by most students* compared to actual use: Hot Springs County, 10th graders




* Values do not sum to 100% due to rounding error


6.4. Social Norms Results for 12th Grade

Figure 46. Alcohol use, and binge drinking perception of use *by most students* compared to actual use: Hot Springs County, 12th graders

30-Day Use of Alcohol




Two Week Binge Drinking




* Values do not sum to 100% due to rounding error

Figure 47. Cigarettes and chewing tobacco, perception of use *by most students* compared to actual use: Hot Springs County, 12th grade

30-Day Use of Cigarettes






30-Day Use of Chewing Tobacco



* Values do not sum to 100% due to rounding error

Figure 48. Marijuana, methamphetamines and illegal drugs, perception of use *by most students* compared to actual use: Hot Springs County, 12th Grade



* Values do not sum to 100% due to rounding error