

The 2008 Wyoming Prevention Needs Assessment: State Profile Report

Sublette County Appendix

Appendix Table of Contents

1. Survey Participation.....	2
2. Substance Use and Problem Behaviors	4
2.1. 6 th Grade Substance Use and Problem Behavior Rates	4
2.2. 8 th Grade Substance Use and Problem Behavior Rates	9
2.3. 10 th Grade Substance Use and Problem Behavior Rates	14
2.4. 12 th Grade Substance Use and Problem Behavior Rates	19
3. Risk Factor Prevalence Rates	24
3.1. 6 th Grade Risk Factor Results	24
3.2. 8 th Grade Risk Factor Prevalence Rates	28
3.3. 10 th Grade Risk Factor Prevalence Rates	32
3.4. 12 th Grade Risk Factor Prevalence Rates	36
4. Protective Factors Prevalence Rates	40
5. Alcohol in the Community	43
6. Social Norms	49
6.1. Social Norms Results for 6 th Grade	49
6.2. Social Norms Results for 8 th Grade	52
6.3. Social Norms Results for 10 th Grade	55
6.4. Social Norms Results for 12 th Grade	58

Table 2. Response rates by grade, 2008 PNA: Wyoming and Sublette County

		Wyoming		Sublette	
		Number of Valid Participants	Response Rate	Number of Valid Participants	Response Rate
Grade	6 th	4,926	77%	82	86%
	8 th	5,051	76%	114	79%
	10 th	4,280	60%	93	84%
	12 th	2,936	47%	93	75%
Total		17,193	65%	382	80%

2. Substance Use and Problem Behaviors

2.1. 6th Grade Substance Use and Problem Behavior Rates

Figure 1. Substance use and problem behavior prevalence rate profile, 2008 PNA: Sublette County, 6th graders






Figure 2. Lifetime substance use prevalence rates, 2001-2008 PNA: Sublette County, 6th graders




Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.
 Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 3. Thirty-day substance use prevalence rates, 2001-2008 PNA: Sublette County, 6th graders



Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.
 Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Heavy substance use and problem behavior prevalence, 2001-2008 PNA: Sublette County, 6th graders



Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.

Table 3. Substance use and problem behavior prevalence rates for Sublette County, 6th grade


		Wyoming: 2008		Sublette: 2008		Sublette: 2006		Sublette: 2004		Sublette: 2001		Sublette: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
Lifetime Use	Alcohol	24%	4762	35%	80	---	---	30%	40	28%	92	---	---
	Marijuana	2%	4795	1%	80	---	---	2%	45	0%	92	---	---
	LSD and Hallucinogens	0%	4774	0%	79	---	---	0%	45	0%	89	---	---
	Cocaine	0%	4797	0%	80	---	---	0%	43	0%	89	---	---
	Inhalants	10%	4786	10%	80	---	---	21%	44	4%	92	---	---
	Methamphetamines	0%	4791	0%	79	---	---	---	---	---	---	---	---
	Heroin	0%	4781	0%	80	---	---	2%	43	0%	92	---	---
	Ecstasy	0%	4747	0%	80	---	---	0%	42	0%	90	---	---
	Steroids	2%	4776	3%	80	---	---	2%	46	1%	91	---	---
	Chewing Tobacco	3%	4754	3%	81	---	---	13%	46	12%	84	---	---
	Cigarettes	12%	4739	10%	81	---	---	15%	46	15%	88	---	---
	Misuse of OTC Meds*	1%	4777	0%	79	---	---	---	---	---	---	---	---
	Misuse of Rx Meds**	1%	4780	1%	80	---	---	---	---	---	---	---	---
Past 30 Day Use	Alcohol	6%	4790	10%	80	---	---	2%	44	3%	92	---	---
	Marijuana	1%	4797	1%	80	---	---	0%	45	0%	91	---	---
	LSD and Hallucinogens	0%	4774	0%	79	---	---	0%	44	0%	89	---	---
	Cocaine	0%	4786	0%	80	---	---	0%	44	0%	89	---	---
	Inhalants	4%	4787	4%	80	---	---	7%	45	2%	91	---	---
	Methamphetamines	0%	4789	0%	80	---	---	---	---	---	---	---	---
	Heroin	0%	4782	0%	80	---	---	0%	43	0%	92	---	---
	Ecstasy	0%	4744	0%	80	---	---	0%	42	0%	89	---	---
	Steroids	0%	4774	0%	80	---	---	0%	46	0%	91	---	---
	Chewing Tobacco	1%	4745	0%	81	---	---	0%	47	1%	88	---	---
	Cigarettes	2%	4746	5%	81	---	---	9%	47	1%	87	---	---
	Misuse of OTC Meds*	1%	4785	1%	80	---	---	---	---	---	---	---	---
	Misuse of Rx Meds**	0%	4773	0%	80	---	---	---	---	---	---	---	---
Heavy Use	Binge Drinking	4%	4755	6%	81	---	---	2%	45	4%	85	---	---
	Half Pack of Cig./Day	0%	4746	0%	81	---	---	0%	47	0%	87	---	---
Problem Behavior	Suspended from School	6%	4854	7%	81	---	---	2%	48	4%	92	---	---
	Drunk or High at School	2%	4841	0%	80	---	---	7%	46	0%	92	---	---
	Sold Drugs	0%	4844	0%	81	---	---	0%	47	1%	90	---	---
	Attempted Vehicle Theft	1%	4848	2%	81	---	---	2%	46	2%	92	---	---
	Arrested	2%	4847	0%	81	---	---	2%	47	2%	90	---	---
	Attacked Someone	7%	4841	9%	80	---	---	9%	47	7%	92	---	---
	Brought a Gun to School	0%	4836	0%	79	---	---	2%	47	0%	91	---	---

* Students were asked, "On how many occasions ... have you used ... a med

** Students were asked, "On how many occasions ... have you used ... a pr


2.2. 8th Grade Substance Use and Problem Behavior Rates

Figure 4. Substance use and problem behavior prevalence rate profile, 2008 PNA: Sublette County, 8th graders




Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 5. Lifetime substance use prevalence rates, 2001-2008 PNA: Sublette County, 8th graders




Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.
 Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 6. Thirty-day substance use prevalence rates, 2001-2008 PNA: Sublette County 8th graders



Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.
 Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 7. Heavy substance use and problem behavior prevalence, 2001-2008 PNA: Sublette County, 8th graders



Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.

Table 4. Substance use and problem behavior prevalence rates for Sublette County, 8th graders


		Wyoming: 2008		Sublette: 2008		Sublette: 2006		Sublette: 2004		Sublette: 2001		Sublette: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
Lifetime Use	Alcohol	51%	4930	46%	111	---	---	43%	42	61%	85	---	---
	Marijuana	14%	4922	5%	112	---	---	9%	45	10%	82	---	---
	LSD and Hallucinogens	2%	4942	1%	112	---	---	0%	45	2%	83	---	---
	Cocaine	2%	4947	1%	113	---	---	0%	45	0%	80	---	---
	Inhalants	18%	4946	15%	113	---	---	18%	44	11%	81	---	---
	Methamphetamines	1%	4945	0%	113	---	---	---	---	---	---	---	---
	Heroin	1%	4949	2%	113	---	---	2%	44	2%	81	---	---
	Ecstasy	2%	4935	3%	111	---	---	2%	41	2%	82	---	---
	Steroids	3%	4944	4%	113	---	---	7%	43	2%	81	---	---
	Chewing Tobacco	11%	4892	10%	113	---	---	11%	45	17%	82	---	---
	Cigarettes	28%	4885	19%	111	---	---	22%	45	36%	83	---	---
	Misuse of OTC Meds*	6%	4936	4%	112	---	---	---	---	---	---	---	---
	Misuse of Rx Meds**	5%	4940	2%	113	---	---	---	---	---	---	---	---
Past 30 Day Use	Alcohol	23%	4924	21%	111	---	---	11%	46	25%	82	---	---
	Marijuana	6%	4932	3%	112	---	---	2%	45	5%	83	---	---
	LSD and Hallucinogens	1%	4942	1%	112	---	---	0%	46	1%	83	---	---
	Cocaine	1%	4936	1%	113	---	---	0%	46	0%	82	---	---
	Inhalants	8%	4940	9%	113	---	---	5%	44	1%	82	---	---
	Methamphetamines	0%	4942	0%	113	---	---	---	---	---	---	---	---
	Heroin	0%	4944	1%	113	---	---	0%	44	1%	81	---	---
	Ecstasy	1%	4926	2%	111	---	---	0%	41	3%	81	---	---
	Steroids	1%	4933	0%	113	---	---	5%	42	2%	82	---	---
	Chewing Tobacco	5%	4896	4%	113	---	---	2%	45	4%	82	---	---
	Cigarettes	9%	4884	6%	112	---	---	0%	44	14%	83	---	---
	Misuse of OTC Meds*	3%	4940	4%	112	---	---	---	---	---	---	---	---
	Misuse of Rx Meds**	2%	4933	2%	113	---	---	---	---	---	---	---	---
Heavy Use	Binge Drinking	14%	4910	14%	111	---	---	7%	43	17%	82	---	---
	Half Pack of Cig./Day	1%	4884	1%	112	---	---	0%	44	6%	83	---	---
Problem Behavior	Suspended from School	11%	4981	11%	113	---	---	19%	48	5%	85	---	---
	Drunk or High at School	10%	4974	8%	113	---	---	4%	48	8%	85	---	---
	Sold Drugs	3%	4974	2%	113	---	---	0%	48	0%	83	---	---
	Attempted Vehicle Theft	4%	4978	1%	113	---	---	0%	48	1%	85	---	---
	Arrested	5%	4973	3%	113	---	---	4%	48	1%	84	---	---
	Attacked Someone	11%	4975	9%	112	---	---	15%	48	12%	85	---	---
	Brought a Gun to School	1%	4966	1%	112	---	---	2%	48	0%	84	---	---

* Students were asked, "On how many occasions ... have you used ... a med

** Students were asked, "On how many occasions ... have you used ... a pr


2.3. 10th Grade Substance Use and Problem Behavior Rates

Figure 8. Substance use and problem behavior prevalence rate profile, 2008 PNA: Sublette County, 10th graders




Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 9. Lifetime substance use prevalence rates, 2001-2008 PNA: Sublette County, 10th graders




Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.
 Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 10. Thirty-day substance use prevalence rates, 2001-2008 PNA: Sublette County, 10th graders



Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.
 Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 11. Heavy substance use and problem behavior prevalence, 2001-2008 PNA: Sublette County, 10th graders



Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.

Table 5. Substance use and problem behavior prevalence rates for Sublette County, 10th grade


		Wyoming: 2008		Sublette: 2008		Sublette: 2006		Sublette: 2004		Sublette: 2001		Sublette: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
Lifetime Use	Alcohol	69%	4181	74%	92	---	---	82%	38	77%	90	---	---
	Marijuana	33%	4169	32%	92	---	---	26%	42	38%	89	---	---
	LSD and Hallucinogens	5%	4193	2%	91	---	---	0%	42	5%	89	---	---
	Cocaine	4%	4191	1%	92	---	---	0%	42	2%	90	---	---
	Inhalants	17%	4192	23%	92	---	---	10%	42	21%	90	---	---
	Methamphetamines	2%	4192	2%	92	---	---	---	---	---	---	---	---
	Heroin	2%	4195	2%	92	---	---	0%	41	1%	90	---	---
	Ecstasy	5%	4191	3%	92	---	---	0%	42	5%	90	---	---
	Steroids	3%	4194	1%	92	---	---	0%	42	1%	90	---	---
	Chewing Tobacco	23%	4159	35%	91	---	---	36%	42	39%	89	---	---
	Cigarettes	43%	4160	50%	91	---	---	33%	42	57%	90	---	---
	Misuse of OTC Meds*	12%	4189	9%	91	---	---	---	---	---	---	---	---
Misuse of Rx Meds**	14%	4189	12%	92	---	---	---	---	---	---	---	---	
Past 30 Day Use	Alcohol	38%	4163	43%	92	---	---	48%	42	40%	90	---	---
	Marijuana	14%	4168	15%	91	---	---	19%	42	17%	90	---	---
	LSD and Hallucinogens	1%	4191	1%	92	---	---	0%	42	1%	89	---	---
	Cocaine	1%	4187	0%	92	---	---	0%	42	0%	90	---	---
	Inhalants	4%	4188	0%	91	---	---	2%	42	3%	90	---	---
	Methamphetamines	1%	4187	0%	92	---	---	---	---	---	---	---	---
	Heroin	1%	4186	0%	92	---	---	0%	42	0%	90	---	---
	Ecstasy	1%	4190	0%	92	---	---	0%	41	0%	90	---	---
	Steroids	1%	4177	0%	92	---	---	0%	42	0%	90	---	---
	Chewing Tobacco	12%	4161	20%	91	---	---	14%	42	13%	90	---	---
	Cigarettes	19%	4155	20%	91	---	---	10%	42	17%	90	---	---
	Misuse of OTC Meds*	4%	4186	3%	91	---	---	---	---	---	---	---	---
Misuse of Rx Meds**	6%	4190	5%	92	---	---	---	---	---	---	---	---	
Heavy Use	Binge Drinking	23%	4166	24%	91	---	---	26%	42	31%	89	---	---
	Half Pack of Cig./Day	5%	4155	5%	91	---	---	0%	42	6%	90	---	---
Problem Behavior	Suspended from School	10%	4230	6%	93	---	---	0%	45	6%	89	---	---
	Drunk or High at School	21%	4229	20%	93	---	---	25%	44	17%	89	---	---
	Sold Drugs	8%	4226	5%	93	---	---	7%	45	5%	89	---	---
	Attempted Vehicle Theft	3%	4230	2%	93	---	---	0%	45	6%	89	---	---
	Arrested	6%	4228	9%	92	---	---	2%	44	8%	88	---	---
	Attacked Someone	11%	4226	9%	93	---	---	11%	45	9%	89	---	---
Brought a Gun to School	2%	4218	2%	93	---	---	0%	45	0%	89	---	---	

* Students were asked, "On how many occasions ... have you used ... a med

** Students were asked, "On how many occasions ... have you used ... a pr


2.4. 12th Grade Substance Use and Problem Behavior Rates

Figure 12. Substance use and problem behavior prevalence rate profile, 2008 PNA: Sublette County, 12th graders




Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 13. Lifetime substance use prevalence rates, 2001-2008 PNA: Sublette County 12th graders




Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.
 Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 14. Thirty-day substance use prevalence, 2001-2008 PNA: Sublette County, 12th graders



Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.
 Note: OTC Meds = Over the Counter Medication; Rx Meds = Prescription Medication

Figure 15. Heavy substance use and problem behavior prevalence, 2001-2008 PNA: Sublette County, 12th graders



Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.

Table 6. Substance use and problem behavior prevalence rates for Sublette County, 12th grade

		Wyoming: 2008		Sublette: 2008		Sublette: 2006		Sublette: 2004		Sublette: 2001		Sublette: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
Lifetime Use	Alcohol	77%	2850	76%	91	---	---	96%	45	89%	71	---	---
	Marijuana	42%	2840	43%	87	---	---	52%	48	55%	71	---	---
	LSD and Hallucinogens	6%	2847	1%	92	---	---	21%	48	17%	71	---	---
	Cocaine	8%	2850	1%	92	---	---	4%	48	8%	71	---	---
	Inhalants	12%	2855	12%	92	---	---	10%	48	16%	71	---	---
	Methamphetamines	3%	2854	1%	92	---	---	---	---	---	---	---	---
	Heroin	3%	2852	0%	92	---	---	10%	48	9%	71	---	---
	Ecstasy	6%	2851	4%	92	---	---	6%	48	8%	71	---	---
	Steroids	3%	2853	5%	92	---	---	8%	48	6%	70	---	---
	Chewing Tobacco	29%	2850	40%	92	---	---	50%	48	65%	71	---	---
	Cigarettes	49%	2845	56%	92	---	---	44%	48	71%	71	---	---
	Misuse of OTC Meds*	12%	2851	8%	92	---	---	---	---	---	---	---	---
	Misuse of Rx Meds**	15%	2853	14%	92	---	---	---	---	---	---	---	---
Past 30 Day Use	Alcohol	47%	2833	51%	92	---	---	68%	47	63%	70	---	---
	Marijuana	16%	2835	12%	90	---	---	26%	47	16%	66	---	---
	LSD and Hallucinogens	2%	2849	1%	92	---	---	6%	48	6%	71	---	---
	Cocaine	2%	2849	0%	92	---	---	4%	48	4%	71	---	---
	Inhalants	2%	2853	1%	92	---	---	4%	48	1%	70	---	---
	Methamphetamines	1%	2849	0%	92	---	---	---	---	---	---	---	---
	Heroin	1%	2846	0%	92	---	---	2%	48	3%	71	---	---
	Ecstasy	1%	2849	0%	92	---	---	2%	48	2%	71	---	---
	Steroids	1%	2843	0%	91	---	---	2%	48	2%	71	---	---
	Chewing Tobacco	15%	2850	21%	92	---	---	33%	48	31%	70	---	---
	Cigarettes	25%	2847	18%	92	---	---	21%	48	36%	71	---	---
	Misuse of OTC Meds*	4%	2851	1%	92	---	---	---	---	---	---	---	---
	Misuse of Rx Meds**	6%	2848	5%	92	---	---	---	---	---	---	---	---
Heavy Use	Binge Drinking	33%	2849	29%	92	---	---	53%	49	39%	71	---	---
	Half Pack of Cig./Day	9%	2847	4%	92	---	---	6%	48	7%	71	---	---
Problem Behavior	Suspended from School	8%	2893	6%	93	---	---	0%	50	5%	71	---	---
	Drunk or High at School	22%	2888	18%	92	---	---	32%	50	30%	71	---	---
	Sold Drugs	8%	2890	7%	92	---	---	12%	50	10%	70	---	---
	Attempted Vehicle Theft	2%	2889	1%	93	---	---	2%	50	2%	70	---	---
	Arrested	6%	2890	6%	93	---	---	6%	50	6%	70	---	---
	Attacked Someone	8%	2886	12%	93	---	---	2%	50	11%	71	---	---
	Brought a Gun to School	2%	2882	3%	92	---	---	2%	49	2%	71	---	---

* Students were asked, "On how many occasions ... have you used ... a med

** Students were asked, "On how many occasions ... have you used ... a pr

3. Risk Factor Prevalence Rates

3.1. 6th Grade Risk Factor Results

Figure 16. Risk Factor profile, 2008 PNA: Sublette County, 6th graders






Figure 17. At-risk youth by Community, Family and School Domains, 2001-2008 PNA percentages: Sublette County, 6th graders



Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.

Figure 18. At-risk youth, Peer/Individual Domain, 2001-2008 PNA percentages: Sublette County, 6th graders



Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.

Table 7. Percent of students in Sublette County classified as at-risk, 6th grade

		Wyoming: 2008		Sublette: 2008		Sublette: 2006		Sublette: 2004		Sublette: 2001		Sublette: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
		Community	Community Disorganization	34%	4545	39%	80	---	---	20%	45	30%	73
	Laws and Norms Favoring Drug Use	46%	4633	46%	79	---	---	50%	42	49%	80	---	---
	Perceived Availability of Drugs	29%	4616	41%	79	---	---	35%	43	22%	82	---	---
Family	Poor Family Management	31%	4629	38%	80	---	---	37%	41	14%	57	---	---
	Parents' Favorable Attitude toward Antisocial Behavior	32%	4592	42%	79	---	---	29%	41	22%	63	---	---
	Parents' Favorable Attitude toward Drug Use	14%	4598	24%	79	---	---	20%	41	8%	62	---	---
School	Low Commitment to School	43%	4859	44%	82	---	---	57%	49	34%	92	---	---
Peer/ Individual	Rebelliousness	46%	4828	58%	81	---	---	---	---	---	---	---	---
	Early Initiation of Antisocial Behavior	20%	4838	24%	82	---	---	11%	46	19%	93	---	---
	Early Initiation of Drug Use	30%	4838	37%	82	---	---	28%	47	36%	93	---	---
	Favorable Attitude toward Antisocial Behavior	37%	4864	40%	82	---	---	48%	48	33%	91	---	---
	Favorable Attitude toward Drug Use	14%	4861	15%	82	---	---	26%	47	11%	91	---	---
	Intent to Use	14%	4784	19%	80	---	---	---	---	---	---	---	---
	Perceived Risk and Harm of Drug Use	26%	4750	29%	79	---	---	22%	45	21%	89	---	---
	Interaction with Antisocial Peers	30%	4830	30%	81	---	---	25%	44	25%	91	---	---
	Friends' Use of Drugs	25%	4826	30%	81	---	---	30%	44	24%	91	---	---
	Sensation Seeking	47%	4808	63%	81	---	---	64%	44	53%	91	---	---
	Rewards for Antisocial Behavior	23%	4797	21%	81	---	---	29%	45	20%	91	---	---
Depressive Symptoms	33%	4784	33%	79	---	---	46%	44	36%	92	---	---	

3.2. 8th Grade Risk Factor Prevalence Rates

Figure 19. Risk Factor profile, 2008 PNA: Sublette County, 8th graders






Figure 20. At-risk youth by Community, Family and School Domains, 2001-2008 PNA percentages: Sublette County, 8th graders



Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.

Figure 21. At-risk youth, Peer/Individual Domain, 2001-2008 PNA percentages: Sublette County, 8th graders



Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.

Table 8. Percent of students in Sublette County classified as at-risk, 8th graders

		Wyoming: 2008		Sublette: 2008		Sublette: 2006		Sublette: 2004		Sublette: 2001		Sublette: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
		Community	Community Disorganization	28%	4750	33%	108	---	---	12%	34	22%	76
	Laws and Norms Favoring Drug Use	40%	4815	41%	110	---	---	49%	39	41%	76	---	---
	Perceived Availability of Drugs	36%	4821	34%	109	---	---	34%	44	32%	81	---	---
Family	Poor Family Management	37%	4799	38%	109	---	---	29%	34	34%	64	---	---
	Parents' Favorable Attitude toward Antisocial Behavior	47%	4776	48%	107	---	---	41%	37	37%	71	---	---
	Parents' Favorable Attitude toward Drug Use	33%	4777	40%	108	---	---	21%	38	43%	71	---	---
School	Low Commitment to School	41%	4998	45%	114	---	---	40%	48	46%	86	---	---
Peer/ Individual	Rebelliousness	34%	4986	25%	114	---	---	---	---	---	---	---	---
	Early Initiation of Antisocial Behavior	31%	4981	28%	114	---	---	34%	47	33%	86	---	---
	Early Initiation of Drug Use	33%	4968	24%	112	---	---	21%	48	31%	86	---	---
	Favorable Attitude toward Antisocial Behavior	39%	4994	28%	114	---	---	43%	47	35%	86	---	---
	Favorable Attitude toward Drug Use	27%	4992	15%	113	---	---	26%	47	27%	86	---	---
	Intent to Use	18%	4953	13%	113	---	---	---	---	---	---	---	---
	Perceived Risk and Harm of Drug Use	38%	4925	31%	112	---	---	49%	45	45%	82	---	---
	Interaction with Antisocial Peers	44%	4970	51%	112	---	---	49%	47	32%	85	---	---
	Friends' Use of Drugs	37%	4970	32%	112	---	---	28%	47	33%	85	---	---
	Sensation Seeking	48%	4952	48%	113	---	---	63%	48	57%	84	---	---
	Rewards for Antisocial Behavior	44%	4954	32%	111	---	---	28%	47	31%	86	---	---
	Depressive Symptoms	38%	4951	33%	113	---	---	40%	45	48%	83	---	---

3.3. 10th Grade Risk Factor Prevalence Rates

Figure 22. Risk Factor profile, 2008 PNA: Sublette County, 10th graders






Figure 23. At-risk youth by Community, Family and School Domains, 2001-2008 PNA percentages: Sublette County, 10th graders



Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.

Figure 24. At-risk youth, Peer/Individual Domain, 2001-2008 PNA percentages: Sublette County, 10th graders



Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.

Table 9. Percent of students in Sublette County classified as at-risk, 10th grade

		Wyoming: 2008		Sublette: 2008		Sublette: 2006		Sublette: 2004		Sublette: 2001		Sublette: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
Community	Community Disorganization	37%	4063	36%	85	---	---	24%	42	31%	90	---	---
	Laws and Norms Favoring Drug Use	47%	4111	44%	88	---	---	43%	40	54%	89	---	---
	Perceived Availability of Drugs	46%	4123	33%	90	---	---	59%	41	54%	90	---	---
Family	Poor Family Management	35%	4090	29%	90	---	---	34%	41	33%	90	---	---
	Parents' Favorable Attitude toward Antisocial Behavior	50%	4084	56%	90	---	---	60%	42	50%	90	---	---
	Parents' Favorable Attitude toward Drug Use	46%	4085	48%	90	---	---	60%	42	53%	90	---	---
School	Low Commitment to School	44%	4249	41%	93	---	---	49%	45	33%	89	---	---
Peer/ Individual	Rebelliousness	37%	4230	38%	93	---	---	---	---	---	---	---	---
	Early Initiation of Antisocial Behavior	37%	4236	34%	92	---	---	22%	45	29%	89	---	---
	Early Initiation of Drug Use	36%	4236	36%	91	---	---	33%	45	39%	89	---	---
	Favorable Attitude toward Antisocial Behavior	48%	4244	53%	93	---	---	62%	45	44%	89	---	---
	Favorable Attitude toward Drug Use	37%	4244	40%	93	---	---	43%	44	35%	89	---	---
	Intent to Use	28%	4192	33%	93	---	---	---	---	---	---	---	---
	Perceived Risk and Harm of Drug Use	41%	4193	46%	92	---	---	43%	42	48%	88	---	---
	Interaction with Antisocial Peers	50%	4227	47%	92	---	---	41%	44	46%	89	---	---
	Friends' Use of Drugs	40%	4227	41%	92	---	---	51%	45	52%	89	---	---
	Sensation Seeking	49%	4202	53%	93	---	---	59%	44	51%	89	---	---
	Rewards for Antisocial Behavior	45%	4223	47%	92	---	---	52%	44	53%	89	---	---
Depressive Symptoms	38%	4202	28%	93	---	---	30%	44	34%	90	---	---	

3.4. 12th Grade Risk Factor Prevalence Rates

Figure 25. Risk Factor profile, 2008 PNA: Sublette County, 12th graders






Figure 26. At-risk youth by Community, Family And School Domains, 2001-2008 PNA percentages: Sublette County, 12th graders



Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.

Figure 27. At-risk youth, Peer/Individual Domain, 2001-2008 PNA percentages: Sublette County, 12 graders



Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.

Table 10. Percent of students in Sublette County classified as at-risk, 12th grade

		Wyoming: 2008		Sublette: 2008		Sublette: 2006		Sublette: 2004		Sublette: 2001		Sublette: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
		Community	Community Disorganization	34%	2794	32%	91	---	---	16%	49	35%	71
	Laws and Norms Favoring Drug Use	42%	2821	45%	91	---	---	54%	48	52%	70	---	---
	Perceived Availability of Drugs	42%	2835	31%	92	---	---	31%	49	45%	71	---	---
Family	Poor Family Management	33%	2816	30%	92	---	---	32%	50	39%	71	---	---
	Parents' Favorable Attitude toward Antisocial Behavior	32%	2804	34%	91	---	---	20%	49	64%	71	---	---
	Parents' Favorable Attitude toward Drug Use	59%	2805	62%	91	---	---	78%	49	68%	71	---	---
School	Low Commitment to School	42%	2908	47%	93	---	---	46%	50	41%	71	---	---
Peer/ Individual	Rebelliousness	34%	2882	37%	93	---	---	---	---	---	---	---	---
	Early Initiation of Antisocial Behavior	35%	2884	39%	92	---	---	24%	50	35%	71	---	---
	Early Initiation of Drug Use	34%	2885	35%	92	---	---	36%	50	60%	71	---	---
	Favorable Attitude toward Antisocial Behavior	44%	2898	52%	93	---	---	42%	50	61%	71	---	---
	Favorable Attitude toward Drug Use	35%	2899	42%	93	---	---	46%	50	57%	71	---	---
	Intent to Use	32%	2870	32%	93	---	---	---	---	---	---	---	---
	Perceived Risk and Harm of Drug Use	49%	2860	59%	92	---	---	58%	50	61%	71	---	---
	Interaction with Antisocial Peers	51%	2900	59%	92	---	---	36%	50	63%	69	---	---
	Friends' Use of Drugs	36%	2899	29%	92	---	---	40%	50	57%	70	---	---
	Sensation Seeking	51%	2875	61%	92	---	---	63%	48	65%	71	---	---
	Rewards for Antisocial Behavior	58%	2898	65%	93	---	---	80%	50	67%	71	---	---
	Depressive Symptoms	30%	2865	32%	92	---	---	36%	50	34%	71	---	---

4. Protective Factors Prevalence Rates

Figure 28. Protective Factor profile, 2008 PNA: Sublette County, all grade levels





Figure 29. Protective Factor prevalence rates, 2001-2008 PNA: Sublette County, by grades surveyed




Sublette did not participate in the 2006 PNA, therefore that year is left blank on the charts and no moving average of 2001 to 2006 is available.

Table 11. Percent of students in Sublette County Classified as at-high-protection by grade level

		Wyoming: 2008		Sublette: 2008		Sublette: 2006		Sublette: 2004		Sublette: 2001		Sublette: Moving Average	
		%	n	%	n	%	n	%	n	%	n	Mean	SD
6 th Grade	Religiosity	54%	4743	60%	77	---	---	73%	48	58%	92	---	---
	Social Skills	73%	4799	73%	82	---	---	71%	49	79%	91	---	---
	Belief in a Moral Order	69%	4776	63%	78	---	---	63%	46	66%	92	---	---
8 th Grade	Religiosity	51%	4936	47%	110	---	---	64%	47	49%	85	---	---
	Social Skills	61%	4945	67%	113	---	---	68%	47	72%	85	---	---
	Belief in a Moral Order	65%	4948	70%	112	---	---	68%	44	69%	83	---	---
10 th Grade	Religiosity	43%	4200	46%	92	---	---	46%	44	54%	89	---	---
	Social Skills	53%	4207	53%	92	---	---	59%	44	48%	89	---	---
	Belief in a Moral Order	70%	4204	69%	93	---	---	70%	43	73%	90	---	---
12 th Grade	Religiosity	65%	2890	61%	92	---	---	67%	49	80%	71	---	---
	Social Skills	63%	2876	57%	93	---	---	64%	50	65%	71	---	---
	Belief in a Moral Order	61%	2863	61%	92	---	---	52%	50	52%	71	---	---


5. Alcohol in the Community

Figure 30. Source of alcohol for last drink (for those reporting use), by grade level: 2008 PNA, Sublette County



* Values do not sum to 100% due to rounding error.

Figure 31. Type of alcohol most often consumed by those students reporting use, by grade level: 2008 PNA, Sublette County



* Values do not sum to 100% due to rounding error

Figure 32. Locations reported where 6th Grade students in Sublette County consumed alcohol during the past 12 months: 2008 PNA




Figure 33. Locations reported where 8th grade students in Sublette County consumed alcohol during the past 12 months: 2008 PNA




Figure 34. Locations reported where 10th grade students in Sublette County consumed alcohol during the past 12 months: 2008 PNA




Figure 35. Locations reported where 12th grade students in Sublette County consumed alcohol during the past 12 months: 2008 PNA








Figure 36. 30-day alcohol use—high, medium, and low risk percentages based on Risk Factor models: 2008 PNA, Sublette County students by grade



* Values do not sum to 100% due to rounding error

Table 12. Attended events where alcohol was involved: 2008 PNA, percentage of students reporting by grade

	6th Grade		8th Grade		10th Grade		12th Grade	
	Wyoming	Sublette	Wyoming	Sublette	Wyoming	Sublette	Wyoming	Sublette
Attended a gathering where large amounts of alcohol were available	28%	30%	46%	47%	60%	65%	69%	66%
Attended a community event where adults were drinking	58%	67%	70%	76%	76%	73%	79%	81%
Attended a community event where alcohol was being sold	42%	40%	61%	60%	70%	70%	74%	75%
Attended a community event where adults were drunk or intoxicated	26%	32%	49%	48%	64%	67%	70%	65%

Table 13. Students who reported they knew an adult who had gotten drunk; and percentage of students who reported they received a minor in possession charge: 2008 PNA, percentage, by grade


	6th Grade		8th Grade		10th Grade		12th Grade	
	Wyoming	Sublette	Wyoming	Sublette	Wyoming	Sublette	Wyoming	Sublette
Personally known an adult who in the past 12 months has gotten drunk	61%	71%	75%	79%	83%	85%	86%	89%
Received a Minor in Possession Charge for Alcohol in the past 12 months	1%	3%	2%	1%	4%	6%	9%	14%

6. Social Norms


6.1. Social Norms Results for 6th Grade

Figure 37. Alcohol use and binge drinking perception of use *by most students* compared to actual use: Sublette County, 6th graders

30-Day Use of Alcohol




Two Week Binge Drinking




* Values do not sum to 100% due to rounding error

Figure 38. Cigarettes and chewing tobacco, perception of use *by most students* compared to actual use: Sublette County, 6th graders

30-Day Use of Cigarettes






30-Day Use of Chewing Tobacco



* Values do not sum to 100% due to rounding error

Figure 39. Marijuana, methamphetamines and illegal drugs, perception of use *by most students* compared to actual use: Sublette County, 6th graders




* Values do not sum to 100% due to rounding error


6.2. Social Norms Results for 8th Grade

Figure 40. Alcohol use, and binge drinking perception of use *by most students* compared to actual use: Sublette County, 8th graders

30-Day Use of Alcohol




Two Week Binge Drinking




* Values do not sum to 100% due to rounding error

Figure 41. Cigarettes and chewing tobacco, perception of use *by most students* compared to actual use: Sublette County, 8th grade

30-Day Use of Cigarettes






30-Day Use of Chewing Tobacco



* Values do not sum to 100% due to rounding error

Figure 42. Marijuana, methamphetamines and illegal drugs, perception of use *by most students* compared to actual use: Sublette County, 8th graders




* Values do not sum to 100% due to rounding error


6.3. Social Norms Results for 10th Grade

Figure 43. Alcohol use, and binge drinking perception of use *by most students* compared to actual use: Sublette County, 10th graders

30-Day Use of Alcohol




Two Week Binge Drinking




* Values do not sum to 100% due to rounding error

Figure 44. Cigarettes and chewing tobacco, perception of use *by most students* compared to actual use: Sublette County, 10th Grade

30-Day Use of Cigarettes






30-Day Use of Chewing Tobacco



* Values do not sum to 100% due to rounding error

Figure 45. Marijuana, methamphetamines and illegal drugs, perception of use by most students compared to actual use: Sublette County, 10th graders




* Values do not sum to 100% due to rounding error


6.4. Social Norms Results for 12th Grade

Figure 46. Alcohol use, and binge drinking perception of use *by most students* compared to actual use: Sublette County, 12th graders

30-Day Use of Alcohol




Two Week Binge Drinking




* Values do not sum to 100% due to rounding error

Figure 47. Cigarettes and chewing tobacco, perception of use *by most students* compared to actual use: Sublette County, 12th grade

30-Day Use of Cigarettes






30-Day Use of Chewing Tobacco



* Values do not sum to 100% due to rounding error

Figure 48. Marijuana, methamphetamines and illegal drugs, perception of use by most students compared to actual use: Sublette County, 12th Grade



* Values do not sum to 100% due to rounding error